1.	In whi	ch of the following chapter of B.B.C.R, the rubric 'carphology' is given
	a.	Extremities
	b.	Mind
	c.	Sensation and complaints in general
	d.	Conditions of aggravation and amelioration in general
2.	In Ker	nt's repertory of Homoeopathic Materia Medica, the rubric 'apoplexy' is given
	a.	Abdomen
	b.	Vertigo
	c.	Generalities
	d.	Head
3.	What	is the peak level of LH required for ovulation?
	a.	45ng/ml
	b.	55ng/ml
	c.	65ng/ml
	d.	75ng/ml
4.	The B	rown-sequard syndrome is characterised by
	a.	Ipsilateral loss of pain
	b.	Contralateral loss of position sense
	c.	Contralateral loss of vibration sense
	d.	Contralateral loss of temperature
5.	Oral c	ontraceptives give protection against all of the following EXCEPT
	a.	Rheumatoid arthritis
	b	Endometrial cancer

- c. Hepatic adenoma
- d. Benign breast disease
- 6. In one-sided mental and emotional diseases, transient alleviation of psychical disease with emergence of corporeal symptom occurs during
 - a. Acute mania
 - b. Primary stage of syphilis
 - c. Isopathic mode of treatment
 - d. Lucid interval
- 7. Which is the most suitable remedy for profuse watering from eyes after extraction of cinders and other foreign bodies
 - a. Aconitum napellus
 - b. Sulphuric acid
 - c. Ledum pal
 - d. Crotalus horridus
- 8. According to William Boericke, this remedy can be given when Pulsatilla fail in school girls
 - a. Calc phos
 - b. Nat mur
 - c. Kali carb
 - d. Calc carb
- 9. Right coronary artery supplies all EXCEPT
 - a. Apex of heart
 - b. Inter ventricular septum
 - c. Interatrial septum

d.	S.A	node

- 10. Disinfection of urine is an example of
 - a. Pre current disinfection
 - b. Terminal disinfection
 - c. Concurrent disinfection
 - d. Sterilisation
- 11. Mother tinctures are prepared by using which type of Alcohol
 - a. Absolute alcohol
 - b. Strong alcohol
 - c. Rectified spirit 40 OP
 - d. Rectified spirit 60 OP
- 12. The most frequently encountered neoplasm of the anterior mediastinum in adult is
 - a. Lymphoma
 - b. Mediastinal granuloma
 - c. Thymoma
 - d. Germ cell tumour
- 13. A severely anaemic patient complains of paralysis of extensors of forearm and progressive emaciation. Patient has a fear of being assassinated. There is a distinct blue line observed along the margin of gum with obstinate constipation and abdominal colic. Which is the most suitable remedy?
 - a. Alumina
 - b. Plumbum met
 - c. Platina
 - d. Argentum met

14. All are	e features of COPD, EXCEPT					
a.	Smoker's cough					
b.	Dyspnoea					
c.	Haemoptysis					
d.	Clubbing of nails					
15. Fetal r	pole and cardiac activity can be detected by transvaginal sonography by					
a.	6weeks					
	7weeks					
	10weeks					
	12weeks					
u.	12 WCCRS					
16. 'Musc	ae volitantes' is found in which chapter of Kent's repertory					
a.	Mind					
b.	Vision					
c.	Eye					
d.	Generalities					
17. Apopt	osis is					
a.	Reversible cell injury					
	Irreversible cell injury					
	Programmed cell death					
a.	Deranged cell metabolism					
18. During	g which action of medicine does Homoeopathic aggravation take place					
a.	Primary					
b.	Secondary					

	_ 1
c.	Alternating
d.	Tertiary
19. Which	n among the following is NOT the feature of Fracture of Neck of Femur
a.	Internal rotation of leg
b.	Shortening of leg
c.	Tenderness in groin
d.	Active straight leg rising not possible
20. Natura	al history of disease is best established by
a.	Descriptive epidemiology
b.	Cohort studies
c.	Case control studies
d.	Ecological studies
21. In wh	ich of the following Kent's observation is the antidotal relationship of remedies
a.	First
b.	Third
c.	Nine
d.	Eleventh
22. Which	n of the following structure does not pierce sclera
a.	Optic nerve
b.	Optic artery
c.	Ciliary nerve
d.	Choroid veins

23. Which of the following is NOT a green house gas

	1
a.	Carbon monoxide
b	Nitrous oxide
	Methane
a.	Water vapour
24. What	amount of reduced haemoglobin in blood causes cyanosis
a.	Between 1-2gm%
b.	Between 2-3gm%
c.	Between 3-4gm%
d.	More than 5gm%
25. Most o	common viral cause of Gastritis is
a.	H. Pylori
b.	Cystomegalovirus
c.	Hepatitis A
d.	Enterovirus
	s with one leg drawn up and the other stretched out'. This position of sleep is a which remedy
a.	Rhododendron
b.	Platina
c.	Stannum met
d.	Pulsatilla
27. Which	of the following branch of pharmacy deals with the repetition of dose
a.	Pharmacopollaxy
b.	Pharmacognosy

- c. Pharmacopraxy
- d. Pharmaconomy
- 28. Which of the following condition occurs during secondary action
 - a. Stupified sleep caused by opium
 - b. Person heated after violent exercise
 - c. Sluggishness and drowsiness after use of strong coffee
 - d. Heat produced by drinking wine
- 29. Who among the following perceived the Law of Similars prior to discovery of Homoeopathy
 - a. Stahl
 - b. Sydenham
 - c. Morgagni
 - d. Fracastoro
- 30. In which sub-section of Boenninghausen's Therapeutic Pocket book, the rubric 'Qualmishness' is given
 - a. Hunger and thirst
 - b. Mouth and fauces
 - c. Nausea and vomiting
 - d. Eructations
- 31. Charcot's triad is seen in
 - a. Cholangitis
 - b. Acute appendicitis
 - c. Acute Gastritis
 - d. Peptic ulcer

- 32. The earliest ECG change in Acute Myocardial Infarction is
 - a. Development of Q wave
 - b. Diminution in size of R wave
 - c. ST segment deviation
 - d. T wave inversion
- 33. Hyperextension of Hip joint may induce abdominal pain in
 - a. Pelvic appendicitis
 - b. Post-illeal appendicitis
 - c. Retrocaecal appendicitis
 - d. Chronic cholecystitis
- 34. Constipation of infants during dentition is characteristic of
 - a. Silicea
 - b. Mag mur
 - c. Sanicula
 - d. Causticum
- 35. CSF pressure is mainly regulated by
 - a. Venous pressure
 - b. Cerebral blood flow
 - c. Rate of CSF formation
 - d. Rate of CSF absorption
- 36. For preparation of mother solution in Fifty Millesimal scale of potencies, the ratio of alcohol to water and strength of alcohol is
 - a. 1:2, 92%v/v

- b. 1:2, 99.4%v/v
- c. 1:4, 70%v/v
- d. 1:4, 95%v/v
- 37. Which of the following muscle has attachment on the capsule of hip joint
 - a. Sartorius
 - b. Rectus femoris
 - c. Vastus lateralis
 - d. Vastus medialis
- 38. The diagnosis of a patient presenting with seizures, mental retardation and sebaceous adenoma is
 - a. Tuberous sclerosis
 - b. Hypothyroidism
 - c. Toxoplasmosis
 - d. Neurofibromatosis
- 39. In which chapter of B.B.C.R, the rubric 'wounds, gunshot' is given
 - a. Skin and exterior body
 - b. Sensation and complaints in general
 - c. Head
 - d. Conditions of aggravation and amelioration in general
- 40. Foot drop is caused by
 - a. Injury to Tibial Nerve
 - b. Injury to Popliteal Nerve
 - c. Injury to Flexor digitorum longus

	Question i apei
d.	Injury to common Peroneal nerve
41. The ch	naracteristic chromosomal abnormality found in case of Down syndrome is
a.	Trisomy 21
b.	Trisomy 18
c.	Trisomy 15
d.	Trisomy 13
42. Which	of the following is considered as reference protein
a.	Milk
b.	Meat
c.	Fish
d.	Egg
43. Which	of the following miasm was described by Hahnemann as 'hydra-headed'
a.	Psora
b.	Psychosis
c.	Syphilis
d.	Pseudo-psora
44. Which	is NOT transmitted via breast milk
a.	Hepatitis A
b.	Hepatitis B
c.	Hepatitis C
d.	Hepatitis D
45. In whi	ch year was 'The Times of Remedies and Moon Phase' by Dr Roger nublishe

a. 1900

	Question 1 upor
b.	1906
c.	1915
d.	1931
46. Histol	ogical structures present in cornea consists of all EXCEPT
a.	Corneal epithelium
b.	Anterior elastin lamina
c.	Posterior elastin lamina
d.	Inferior elastin lamina
47. Who a	mong the following is author of the work 'sensation as if'
a.	O.M Drake
b.	H.A Roberts
c.	H. Perkins
d.	E.B Nash
perspin purgin	ent presents with symptoms of collapse, extreme coldness and weakness. Cold ration on the forehead was very marked. There is history of severe vomiting, g and cramps in extremities. Patient had thirst for cold water with craving for juicy and cold things. Which of the following remedy is indicated
a.	Cup met
b.	Carbo-v
c.	Camph
d.	Veratrum alb
reveal	ear old women presented with menorrhagia and dysmenorrhea. Examination ed an enlarged uterus to about 12 weeks size, which was soft and tender. The le diagnosis is

a. P.I.D

	Question 1 upor
b.	Adenomyosis
c.	Endometriosis
d.	Uterine fibroid
50. Cina f	Collows this remedy well in intermittent fever
a.	Ipecac
b.	Capsicum
c.	Cinchona
d.	Nat mur
51. Which	n of the following is used as an antidote in glass powder poisoning
a.	Bulky food
b.	Activated charcoal
c.	Demulscent
d.	Chelating agent
	a minor head injury, a young patient was unable to close his left eye and had ng of saliva from left angle of mouth. He is suffering from which nerve injury
a.	IIIrd
b.	Vth
c.	VIIth
d.	IIIrd and VIIth
•	ent on routine X-ray of cervical spine was seen having an extra rib. The most ble artery which can be compressed is
a.	Subclavian artery
b.	Vertebral artery
c.	Carotid artery

	Question i aper
d. Basilar artery	
54. All are effect of sympa	thetic stimulation EXCEPT
a. Increased contr	actility of heart
b. Increased refrac	ctory period
c. Increased heart	rate
d. Increased condu	uction velocity
55. Which of the following	g remedy is given after Arnica in traumatic affections of ovaries
a. Bellis perennis	
b. Conium mac	
c. Psorinum	
d. Hamamelis	
56. In female, which of the	e following blood cells contain 'Davidson bodies'
a. Eosnophils	
b. Basophils	
c. Neutrophils	
d. All the above	
57. Permanent impairment	of fingerprint pattern occurs in case of
a. Leprosy	
b. Rickets	
c. Eczema	
d. Acromegaly	

58. The following question consists of two statements, one labelled as the assertion (A) and the other as reason (R). You are to examine the two statements carefully and select the appropriate answer

Assertion(S): During drug proving, all salads and medicinal herb soups should be taken regularly

Reason (R): Diet should be purely nutritious and simple character during drug proving

- a. Both S and R individually true and R is the correct explanation of S
- b. Both S and R individually true and R is not the correct explanation of S
- c. S is false and R is true
- d. S is true and R is false
- 59. The earliest external sign of autolysis is seen in
 - a. Cornea
 - b. Conjunctiva
 - c. Sclera
 - d. Iris
- 60. Gold standard investigation in the diagnosis of a case of endometriosis is
 - a. Ultrasound
 - b. MRI
 - c. Laparoscopy
 - d. Colour Doppler
- 61. Drug power of class III of old method of preparation of mother tincture is
 - a. 1/2
 - b. 1/6
 - c. 1/10

- d. 1/100
- 62. Zero dose of polio vaccine is given
 - a. At birth
 - b. Before giving DPT vaccine
 - c. When child is having diarrhoea
 - d. When child is having polio
- 63. Leprosy commonly spread by
 - a. Milk
 - b. Droplet
 - c. Water
 - d. Mosquito
- 64. Blood pressure is defined as the product of
 - a. Cardiac output **X** peripheral resistance
 - b. Systolic pressure **X** pulse rate
 - c. Diastolic pressure **X** pulse rate
 - d. Pulse pressure X pulse rate
- 65. Wrongly matched pair is
 - a. Electric alternans cardiac tamponade
 - b. Pulses alternans myocardial infarction
 - c. Wellen's syndrome unstable angina
 - d. Infective endocarditis rose spots
- 66. 'Children get sick in the evening when sitting before an open coal fire or falling asleep there'. This symptom belong to which remedy

a. Glonoine

b. Nat carb

c. Ferrum met

d.	Belladonna					
67. Mallory bodies are composed of						
a.	Pre-keratin					
b.	Neurofibrils					
c.	Microtubules					
d.	Vimentin					
68. Breech	with extended legs is also known as					
a.	Flexed breech					
b.	Frank breech					
c.	Footling presentation					
d.	Knee presentation					
69. Flail ch	nest is defined as					
a.	Blunt myocardial injury					
b.	Pericardial tamponade					
c.	Injury to one rib					
d.	Three or more rib fractures in two or more places					
70. Bishop	s score includes all EXCEPT					
a.	Head station					
b.	Status of membrane					

c. Cervical effacement

4	Corre	aangigtanav
(I	CELVICA	consistency

71	Α	positive	Niko	lskv	sign	will	be	found	in	case	of
/ I.	1 L	positive	1 11110	LOILY	21511	** 111	\mathcal{C}	Tourid	111	CubC	O1

- a. Lichen planus
- b. Psoriasis
- c. Pemphigus
- d. SLE
- 72. Concentric circles of similarity as suggested by Joslin is mentioned in which of the following repertory
 - a. Kent's repertory
 - b. Boenninghausen's Therapeutic Pocket Book
 - c. Boger Boenninghausen's Characteristic and Repertory
 - d. Knerr's repertory
- 73. Match the following:
 - I. J.T.Kent a) doctrine of signatures
 - II. Horace b)series in degrees
 - III. Paraselsus c)Aude Sapere
 - a. I-a, II-b, III-c
 - b. I-b, II-c, III-a
 - c. I-c, II-a, III-b
 - d. I-a, II-c, III-b
- 74. Among the following mammography findings, which one is NOT a feature of breast cancer
 - a. Asymmetric thickening of breast tissue
 - b. A solid mass with or without Stellate features

a. 1

- c. Clustered micro calcification
- d. Macro calcification
- 75. Match List-I and List-II

List-I (Repertory)

List-II (Gradation of medicine)

- i. Robin Murphy's Repertory -
- ii. Boericke's Repertory b. 3
- iii. J.H Clarke Repertory c. 4
- iv. Synthetic Repertory d. 2
- a. i-b,ii-d,iii-c,iv-a
- b. i-b,ii-a,iii-d,iv-c
- c. i-c,ii-a,iii-d,iv-b
- d. i-b,ii-d,iii-a,iv-c
- 76. In grey hepatisation of lobar pneumonias, alveoli are filled with
 - a. Fibrin
 - b. Organism
 - c. RBC
 - d. WBC
- 77. Which of the following is the most important indicator of commencing amelioration or aggravation in a patient
 - a. Condition of local pathology
 - b. State of mind and whole demeanor of the patient
 - c. Appearance of skin eruptions
 - d. Increased ESR level

70	TT7.	•	C		1	•	1	4
78	wins	อาทฐ	OT	scapu	пa	18	aue	to
,	, ,		-	~ • • • • • • • • • • • • • • • • • • •				•

- a. Dorsal scapular nerve palsy
- b. Supra scapular nerve palsy
- c. Long thoracic lung palsy
- d. Musculo-cutaneous nerve palsy

79. Murphy's sign is positive in

- a. Acute cholecystitis
- b. Pancreatitis
- c. Acute cholangitis
- d. Acute appendicitis

80. Coagulative necrosis is NOT seen in

- a. Myocardial infarction
- b. Tuberculosis
- c. Thermal injury
- d. Zenker degeneration necrosis
- 81. Which remedy is most suitable for complaints from straining especially flexor tendens
 - a. Rhustox
 - b. Bellis perennis
 - c. Ruta
 - d. Arnica
- 82. Absence of pain and muscular mobility especially in muscles of expression and of locomotion is an indicator of
 - a. Opium

b.	Stramonium
c.	Lac can
d.	Belladonna
83. Total r	number of drugs in the 'concordances' section of B.B.C.R are
a.	125
b.	141
c.	362
d.	464
84. Which	one of the following is the most preferred cut for episiotomy
a.	J shaped
b.	Median
c.	Mediolateral
d.	Lateral
	isualization of 'clue cells' in a stained smear of vaginal discharge is highly stive of
a.	Gardnerella vaginalis
b.	Trichomoniasis
c.	Candidiasis
d.	Chlamydial infection
86. The so	odium potassium pump is an example of
a.	Active transport
b.	Passive transport
c.	Facilitated diffusion

1	\sim	•
_	lama	010
u	Osmo	010
•••	0 51110	

87.	Which	of the following stain is considered the best stain for cervical cytology
	a.	Leishman
	b.	Giesma
	c.	Pap
	d.	H & E
88.	Single	Flask method of preparation of potencies is called
	a.	Korsakovian attenuation
	b.	Hahnemannian attenuation
	c.	Jenichen's attenuation
	d.	Skinner's attenuation
89.	Which	of the following author's card repertory is primarily based on Kent's repertory
	a.	Marcos Jaminez
	b.	Margaret Tyler
	c.	P Sankaran
	d.	W Boericke
90.	_	ient complains of pain in epigastrium, worse at 3 am. According to inghausen's schema of symptomatology, this symptom complex has elements
	a.	Ubi and Cur
	b.	Quomodo and Quando
	c.	Ubi and Quando
	d.	Cur and Quibis auxilis

91. Which salt was discovered by Glauber in 1658 and is named as 'Sal mirabile'
a. Sanicula
b. Nat sulph
c. Mag carb
d. Nat phos
92. A previously healthy child of age 2 years presented with colicky pain and vomiting and between the episodes, the child was passing red currant jelly stool. On examination, the child was dehydrated with abdominal distension and had a palpable mass on the right upper quadrant of abdomen. The most likely diagnosis in this case is
a. Congenital pyloric stenosis
b. Intussusceptions
c. Ischemic colitis
d. Appendicitis
93. The maximum blood alcohol level allowed for driving in india is
a. 20mg%
b. 30mg%
c. 50mg%
d. 80mg%
94. Granulation tissue appears due to
a. Thrombosed capillaries
b. Chronic inflammatory cells
c. Budding ends of capillaries
d. Necrosis

benumbed state of nerves in one sided diseases

95. Which of the following remedy has been recommended by Hahnemann in case of

a.	Opium
b.	Valeriana
c.	Stramonium
d.	Psorinum
96. The te	st to differentiate Iron deficiency anaemia from anaemia of chronic disease is
a.	Serum iron
b.	Serum ferritin
c.	TIBC
d.	Transferring saturation
97. Effort	during normal respiration is due to
a.	Respiratory air passages
b.	Alveolar air spaces
c.	Creating negative pleural pressure
d.	Lung elasticity
98. The re	medy for chronic complaints that date back to septic conditions is
a.	Tarantula cubensis
b.	Pyrogenium
c.	Ars alb
d.	Variolinum
99. Rennii	n is secreted by
a.	Justaglomerular aaparatus
b.	Collecting duct

c. Loop of Henle

d. Proximal tubule

100. 'Keratoderma blenorrhagicum' is characteristically associated with

- a. Reactive arthritis
- b. Ankylosing spondylitis
- c. SLE
- d. Rheumatoid arthritis

Compiled:

DrAmeer CT

Assistant Professor

Father Muller Homoeopathic Medical College, Mangalore