

PREVIEW QUESTION BANK

Module Name : Homoeopathy-ENG
Exam Date : 04-Jul-2025 Batch : 10:00-12:00

| Sr. No. | Client Question ID | Question Body and Alternatives | Marks | Negative Marks | | | | |
|----------------------|---------------------------|--|----------------------|----------------------|----------------------|---------------------------|-----|------|
| Objective Question | | | | | | | | |
| 1 | 5001 | <p>Given below are two statements :</p> <p>Statement I : Oil of wintergreen test is used to detect presence of methyl alcohol in Ethyl alcohol vehicle.</p> <p>Statement II : Iodine test is used to detect starch in sugar of milk.</p> <p>In the light of the above statements, choose the <i>most appropriate</i> answer from the options given below :</p> <p>(1) Both Statement I and Statement II are correct (2) Both Statement I and Statement II are incorrect (3) Statement I is correct but Statement II is incorrect (4) Statement I is incorrect but Statement II is correct</p> <p>A1 : 1 A2 : 2 A3 : 3 A4 : 4</p> | 4.0 | 1.00 | | | | |
| Objective Question | | | | | | | | |
| 2 | 5002 | <p>Which of the following statements are correct regarding Homoeopathic Pharmacopoeia of India (HPI)?</p> <p>(A) First volume had monograph of 180 drugs. (B) Third volume was published in 1988. (C) First HPI was compiled by committee under chairmanship of J.N. Kanjilal. (D) HPI is included in second schedule of Drugs and Cosmetics Act 1940.</p> <p>Choose the correct answer from the options given below :</p> <table> <tr> <td>(1) (A) and (D) only</td> <td>(2) (B) and (C) only</td> </tr> <tr> <td>(3) (B) and (D) only</td> <td>(4) (A), (C) and (D) only</td> </tr> </table> <p>A1 : 1 A2 : 2 A3 : 3</p> | (1) (A) and (D) only | (2) (B) and (C) only | (3) (B) and (D) only | (4) (A), (C) and (D) only | 4.0 | 1.00 |
| (1) (A) and (D) only | (2) (B) and (C) only | | | | | | | |
| (3) (B) and (D) only | (4) (A), (C) and (D) only | | | | | | | |

A4 : 4

Objective Question

| 3 | 5003 | Match List I with List II : <table><thead><tr><th style="text-align: center;">List I</th><th style="text-align: center;">List II</th></tr><tr><th style="text-align: center;">Drug</th><th style="text-align: center;">Part used</th></tr></thead><tbody><tr><td>(A) Aethusa cynapium</td><td>(I) Roots</td></tr><tr><td>(B) Asafoetida</td><td>(II) Seeds</td></tr><tr><td>(C) Phytolacca decandra</td><td>(III) Whole plant</td></tr><tr><td>(D) Coffea cruda</td><td>(IV) Gum resin</td></tr></tbody></table> <p>Choose the correct answer from the options given below :</p> <p>(1) (A)-(I), (B)-(IV), (C)-(III), (D)-(II) (2) (A)-(III), (B)-(I), (C)-(IV), (D)-(II) (3) (A)-(IV), (B)-(I), (C)-(II), (D)-(III) (4) (A)-(III), (B)-(IV), (C)-(I), (D)-(II)</p> <p>A1 : 1</p> <p>A2 : 2</p> <p>A3 : 3</p> <p>A4 : 4</p> | List I | List II | Drug | Part used | (A) Aethusa cynapium | (I) Roots | (B) Asafoetida | (II) Seeds | (C) Phytolacca decandra | (III) Whole plant | (D) Coffea cruda | (IV) Gum resin | 4.0 | 1.00 |
|-------------------------|-------------------|--|--------|---------|-------------|------------------|----------------------|-----------|----------------|------------|-------------------------|-------------------|------------------|----------------|-----|------|
| List I | List II | | | | | | | | | | | | | | | |
| Drug | Part used | | | | | | | | | | | | | | | |
| (A) Aethusa cynapium | (I) Roots | | | | | | | | | | | | | | | |
| (B) Asafoetida | (II) Seeds | | | | | | | | | | | | | | | |
| (C) Phytolacca decandra | (III) Whole plant | | | | | | | | | | | | | | | |
| (D) Coffea cruda | (IV) Gum resin | | | | | | | | | | | | | | | |

Objective Question

Objective Question

| | | | | |
|---|------|---|-----|------|
| 5 | 5005 | <p>Plussing method is</p> <p>(1) Extension of dose by adding water to the remedy solution and succussing further</p> <p>(2) Addition of back potency in remedy solution</p> <p>(3) Conversion of solid vehicle into liquid vehicle</p> <p>(4) Method of preparation of straight potency</p> | 4.0 | 1.00 |
|---|------|---|-----|------|

A1 : 1
A2 : 2
A3 : 3
A4 : 4

Objective Question

Objective Question

Objective Question

| Subjective Question | | | | | |
|---------------------|------|--|--|-----|------|
| 8 | 5008 | | | 4.0 | 1.00 |

Match List I with List II :

| List I | List II |
|--------------------|-----------------------------------|
| Pioneer | Contribution |
| (A) Korsakoff | (I) Fluxion Centesimal Attenuator |
| (B) Higgins | (II) Fluxion Potency |
| (C) B. Fincke | (III) Preparation of Luna |
| (D) Thomas Skinner | (IV) Proponent of high potencies |

Choose the correct answer from the options given below :

(1) (A)-(I), (B)-(III), (C)-(II), (D)-(IV)
(2) (A)-(IV), (B)-(III), (C)-(I), (D)-(II)
(3) (A)-(IV), (B)-(III), (C)-(II), (D)-(I)
(4) (A)-(III), (B)-(I), (C)-(II), (D)-(IV)

A1 : 1

A2 : 2

A3 : 3

A4 : 4

Objective Question

Objective Question

| | | | | | |
|----|------|--|--|-----|------|
| 10 | 5010 | | | 4.0 | 1.00 |
|----|------|--|--|-----|------|

The Mother preparation of which of the following Drug does not have a Drug power of $\frac{1}{100}$ in New method?

(1) Acidum Picricum (2) Spigelia
(3) Glonoinum (4) Arsenicum album

A1 : 1

A2 : 2

A3 : 3

A4 : 4

Objective Question

| | | | | |
|----|------|--|-----|------|
| 11 | 5011 | <p>Which of the following statements are correct in reference to Fifty millesimal scale of potency?</p> <p>(A) Cones are used as vehicle (B) Dr. Hahnemann had termed the new preparation as – 'Medicaments au globule' (C) The name '50 millesimal scale' was coined by Dr. P. Schmidt (D) The scale was introduced in sixth edition of Organon of medicine (E) As per HPI instruction to start the process of preparation, 1 mg of drug substance is triturated with 1000 g of sugar of milk</p> <p>Choose the correct answer from the options given below :</p> <p>(1) (A), (B) and (C) only (2) (B), (C) and (D) only (3) (B), (C) and (E) only (4) (C), (D) and (E) only</p> <p>A1 : 1 A2 : 2 A3 : 3 A4 : 4</p> | 4.0 | 1.00 |
|----|------|--|-----|------|

Objective Question

| | | | | |
|----|------|---|-----|------|
| 12 | 5012 | <p>Which of the following does not produce volatile oil?</p> <p>(1) Mentha spicata (2) Rosmarinus officinalis (3) Ricinus communis (4) Santalam album</p> <p>A1 : 1 A2 : 2 A3 : 3</p> | 4.0 | 1.00 |
|----|------|---|-----|------|

| | | A4 : 4 | | | | | | | | | | | | |
|---|---------------------|---|--------|---------|----------------------------------|---------------|-----------------------|-------------------|------------------------------------|---------------------|---|-----------------|-----|------|
| Objective Question | | | | | | | | | | | | | | |
| 13 | 5013 | <p>Match List I with List II :</p> <table> <thead> <tr> <th style="text-align: center;">List I</th> <th style="text-align: center;">List II</th> </tr> </thead> <tbody> <tr> <td>(A) Urine dribbles while sitting</td> <td>(I) Mag. phos</td> </tr> <tr> <td>(B) Red sand in urine</td> <td>(II) Sarsaparilla</td> </tr> <tr> <td>(C) Ailments after catheterization</td> <td>(III) Berberis vulg</td> </tr> <tr> <td>(D) Radiating pain with bubbling sensation in kidneys</td> <td>(IV) Ocimum can</td> </tr> </tbody> </table> <p>Choose the correct answer from the options given below :</p> <p>(1) (A)-(II), (B)-(IV), (C)-(I), (D)-(III) (2) (A)-(II), (B)-(I), (C)-(III), (D)-(IV) (3) (A)-(IV), (B)-(I), (C)-(II), (D)-(III) (4) (A)-(III), (B)-(IV), (C)-(II), (D)-(I)</p> | List I | List II | (A) Urine dribbles while sitting | (I) Mag. phos | (B) Red sand in urine | (II) Sarsaparilla | (C) Ailments after catheterization | (III) Berberis vulg | (D) Radiating pain with bubbling sensation in kidneys | (IV) Ocimum can | 4.0 | 1.00 |
| List I | List II | | | | | | | | | | | | | |
| (A) Urine dribbles while sitting | (I) Mag. phos | | | | | | | | | | | | | |
| (B) Red sand in urine | (II) Sarsaparilla | | | | | | | | | | | | | |
| (C) Ailments after catheterization | (III) Berberis vulg | | | | | | | | | | | | | |
| (D) Radiating pain with bubbling sensation in kidneys | (IV) Ocimum can | | | | | | | | | | | | | |
| | | A1 : 1 | | | | | | | | | | | | |
| | | A2 : 2 | | | | | | | | | | | | |
| | | A3 : 3 | | | | | | | | | | | | |
| | | A4 : 4 | | | | | | | | | | | | |

| Objective Question | | | | | |
|--------------------|------|--|--|-----|------|
| 15 | 5015 | | | 4.0 | 1.00 |

"Amblyopia or asthenopia from over exertion of eyes or anomalies of refraction, from over-use in bad light; fine sewing, over-reading at night; misty, dim vision, with complete obscuration at a distance".

Choose the correct option from below :

| | |
|---------------------|-------------------------|
| (1) Natrum Sulph. | (2) Argentum Metallicum |
| (3) Ruta Graveolens | (4) Physostigma |

A1 : 1

A2 : 2

A3 : 3

A4 : 4

Objective Question

| | | | | | | | | |
|-----------------------|-----------------------|--|---------------------|-----------------------|-----------------------|-------------|-----|------|
| 16 | 5016 | <p>A person is disposed to Paronychia, at present suffering from Felon-early when pains are sharp and agonizing, when pricking is first felt; nails brittle. The most appropriate remedy is:</p> <table border="0"> <tr> <td>(1) Hepar sulphuris</td><td>(2) Antimonium crudum</td></tr> <tr> <td>(3) Dioscorea Villosa</td><td>(4) Silicea</td></tr> </table> <p>A1 : 1</p> <p>A2 : 2</p> <p>A3 : 3</p> <p>A4 : 4</p> | (1) Hepar sulphuris | (2) Antimonium crudum | (3) Dioscorea Villosa | (4) Silicea | 4.0 | 1.00 |
| (1) Hepar sulphuris | (2) Antimonium crudum | | | | | | | |
| (3) Dioscorea Villosa | (4) Silicea | | | | | | | |

Objective Question

| | | | | | | | | |
|-------------------------|-------------------|--|---------------------|-------------------|-------------------------|-------------|-----|------|
| 17 | 5017 | <p>"Extremely sensitive to open air; hoarseness; worse evenings; after exposure to cold; voice uncertain; covers head with bed clothes to make air warmer; little or no expectoration" – Identify the correct option</p> <table border="0"> <tr> <td>(1) Hepar sulphuris</td><td>(2) Rumex crispus</td></tr> <tr> <td>(3) Argentum metallicum</td><td>(4) Silicea</td></tr> </table> <p>A1 : 1</p> <p>A2 : 2</p> <p>A3 : 3</p> <p>A4 : 4</p> | (1) Hepar sulphuris | (2) Rumex crispus | (3) Argentum metallicum | (4) Silicea | 4.0 | 1.00 |
| (1) Hepar sulphuris | (2) Rumex crispus | | | | | | | |
| (3) Argentum metallicum | (4) Silicea | | | | | | | |

Objective Question

| | | | | |
|----|------|--|-----|------|
| 18 | 5018 | | 4.0 | 1.00 |
|----|------|--|-----|------|

Adapted to diseases from spinal origin. Muscular atrophy from sclerosis of spinal system
Excessive and rapid emaciation; general or partial paralysis; extreme, with anaemia and great weakness

Identify the correct remedy from below :

| | |
|-----------------|----------------|
| (1) Plumbum met | (2) Phosphorus |
| (3) Picric acid | (4) Zincum met |

A1 : 1

A2 : 2

A3 : 3

A4 : 4

Objective Question

| | | | | | | | | |
|----------------|--------------------------|--|----------------|---------------------|----------------|--------------------------|-----|------|
| 19 | 5019 | <p>Cannot sleep after 3 a.m. until towards morning; awakes feeling wretchedly. Drowsy after meals, and in early evening. Dreams full of bustle and hurry. Better after a short sleep, unless aroused.</p> <p>Select the appropriate remedy from below :</p> <table border="0"> <tr> <td>(1) Phosphorus</td><td>(2) Bellis perennis</td></tr> <tr> <td>(3) Nux vomica</td><td>(4) Pulsatilla nigricans</td></tr> </table> <p>A1 : 1</p> <p>A2 : 2</p> <p>A3 : 3</p> <p>A4 : 4</p> | (1) Phosphorus | (2) Bellis perennis | (3) Nux vomica | (4) Pulsatilla nigricans | 4.0 | 1.00 |
| (1) Phosphorus | (2) Bellis perennis | | | | | | | |
| (3) Nux vomica | (4) Pulsatilla nigricans | | | | | | | |

Objective Question

Objective Question

Objective Question

| Objective Question | | | | | |
|--------------------|------|--|--|-----|------|
| 25 | 5025 | | | 4.0 | 1.00 |

Vertigo when stooping, or when rising after stooping; on every change of position.

- (A) Bryonia Alba
- (B) Belladonna
- (C) Colocynthis
- (D) Conium Mac
- (E) Theridion Curassavicum

Choose the correct answer from the options given below :

| | |
|-------------------|-------------------|
| (1) (A), (B) only | (2) (A), (C) only |
| (3) (A), (D) only | (4) (A), (E) only |

A1 : 1

A2 : 2

A3 : 3

A4 : 4

Objective Question

| 26 | 5026 | <p>Match List I with List II :</p> <table border="0" style="width: 100%;"> <thead> <tr> <th style="text-align: center; width: 50%;">List I</th><th style="text-align: center; width: 50%;">List II</th></tr> <tr> <th style="text-align: center;">Drugs</th><th style="text-align: center;">Complementary</th></tr> </thead> <tbody> <tr> <td style="text-align: center;">(A) Iodium</td><td style="text-align: center;">(I) Lycopodium</td></tr> <tr> <td style="text-align: center;">(B) Ruta graveolens</td><td style="text-align: center;">(II) Medorrhinum</td></tr> <tr> <td style="text-align: center;">(C) Thuja Occ</td><td style="text-align: center;">(III) Calcarea Phos.</td></tr> <tr> <td style="text-align: center;">(D) Nux Vomica</td><td style="text-align: center;">(IV) Sulphur</td></tr> </tbody> </table> <p>Choose the correct answer from the options given below :</p> <p style="margin-left: 20px;">(1) (A)-(IV), (B)-(I), (C)-(III), (D)-(II)</p> <p style="margin-left: 20px;">(2) (A)-(II), (B)-(IV), (C)-(I), (D)-(III)</p> <p style="margin-left: 20px;">(3) (A)-(III), (B)-(II), (C)-(IV), (D)-(I)</p> <p style="margin-left: 20px;">(4) (A)-(I), (B)-(III), (C)-(II), (D)-(IV)</p> <p>A1 : 1</p> <p>A2 : 2</p> <p>A3 : 3</p> <p>A4 : 4</p> | List I | List II | Drugs | Complementary | (A) Iodium | (I) Lycopodium | (B) Ruta graveolens | (II) Medorrhinum | (C) Thuja Occ | (III) Calcarea Phos. | (D) Nux Vomica | (IV) Sulphur | 4.0 | 1.00 |
|---------------------|----------------------|--|--------|---------|--------------|----------------------|------------|----------------|---------------------|------------------|---------------|----------------------|----------------|--------------|-----|------|
| List I | List II | | | | | | | | | | | | | | | |
| Drugs | Complementary | | | | | | | | | | | | | | | |
| (A) Iodium | (I) Lycopodium | | | | | | | | | | | | | | | |
| (B) Ruta graveolens | (II) Medorrhinum | | | | | | | | | | | | | | | |
| (C) Thuja Occ | (III) Calcarea Phos. | | | | | | | | | | | | | | | |
| (D) Nux Vomica | (IV) Sulphur | | | | | | | | | | | | | | | |

Objective Question

| | | | | |
|----|------|--|-----|------|
| 27 | 5027 | | 4.0 | 1.00 |
|----|------|--|-----|------|

Given below are two statements :

Regarding TRILLIUM PENDULUM.

Statement I : Menses : profuse, every two weeks, lasting a week or longer; after over-exertion or too long a ride.

Statement II : Menorrhagia : flow profuse, gushing, bright red; at least movement; from displaced uterus; at the climacteric; every two weeks, dark, clotted.

In the light of the above statements, choose the *most appropriate* answer from the options given below :

- (1) Both Statement I and Statement II are correct
- (2) Both Statement I and Statement II are incorrect
- (3) Statement I is correct but Statement II is incorrect
- (4) Statement I is incorrect but Statement II is correct

A1 : 1

A2 : 2

A3 : 3

A4 : 4

Objective Question

| | | | | |
|----|------|---|-----|------|
| 28 | 5028 | <p>The eyes of a young person is acutely inflamed. Feels red, dry and hot as if sand in them. Profuse watering after exposure to dry cold winds, reflection from snow, after extraction of cinders and other foreign bodies. Aversion to light.</p> <p>Identify the remedy :</p> <ul style="list-style-type: none"> (1) Euphrasia (2) Aconitum napellus (3) Rhus toxicodendron (4) Belladonna <p>A1 : 1</p> <p>A2 : 2</p> <p>A3 : 3</p> <p>A4 : 4</p> | 4.0 | 1.00 |
|----|------|---|-----|------|

Objective Question

| | | | | |
|----|------|--|-----|------|
| 29 | 5029 | | 4.0 | 1.00 |
|----|------|--|-----|------|

Which of the following is the most common presenting symptom of Pelvic Inflammatory Disease (PID)?

- (1) High grade fever
- (2) Lower abdominal pain
- (3) Dorsal backache
- (4) Abnormal vaginal discharge with dyspareunia

A1 : 1

A2 : 2

A3 : 3

A4 : 4

Objective Question

| | | | | |
|----|------|---|-----|------|
| 30 | 5030 | <p>Given below are two statements :</p> <p>Statement I : Pus protruding through Fibrial end of fallopian tube is sure sign of Genital TB.</p> <p>Statement II : HSG is contraindicated in Genital TB</p> <p>In the light of the above statements, choose the <i>most appropriate</i> answer from the options given below :</p> <ol style="list-style-type: none"> (1) Both Statement I and Statement II are correct (2) Both Statement I and Statement II are incorrect (3) Statement I is correct but Statement II is incorrect (4) Statement I is incorrect but Statement II is correct <p>A1 : 1</p> <p>A2 : 2</p> <p>A3 : 3</p> <p>A4 : 4</p> | 4.0 | 1.00 |
|----|------|---|-----|------|

Objective Question

| | | | | |
|----|------|--|-----|------|
| 31 | 5031 | <p>The vaginal discharge for the first fortnight during puerperium, which is pale white in colour, is known as</p> <ol style="list-style-type: none"> (1) Lochia rubra (2) Lochia serosa (3) Lochia alba (4) Leucorrhoea <p>A1 : 1</p> | 4.0 | 1.00 |
|----|------|--|-----|------|

A2 : 2
A3 : 3
A4 : 4

Objective Question

| 32 | 5032 | <p>Match List I with List II :</p> <table> <thead> <tr> <th style="text-align: center;">List I</th><th style="text-align: center;">List II</th></tr> </thead> <tbody> <tr> <td style="text-align: center;">Female genitalia</td><td style="text-align: center;">Correspondence with male genitalia</td></tr> <tr> <td>(A) Labia majora</td><td>(I) Ventral aspect of penis</td></tr> <tr> <td>(B) Labia minora</td><td>(II) Bulbo-urethral gland of male</td></tr> <tr> <td>(C) Clitoris</td><td>(III) Scrotum</td></tr> <tr> <td>(D) Bartholin's gland</td><td>(IV) Penis</td></tr> </tbody> </table> <p>Choose the correct answer from the options given below :</p> <p>(1) (A)-(III), (B)-(I), (C)-(IV), (D)-(II) (2) (A)-(II), (B)-(I), (C)-(III), (D)-(IV) (3) (A)-(IV), (B)-(II), (C)-(I), (D)-(III) (4) (A)-(I), (B)-(II), (C)-(IV), (D)-(III)</p> <p>A1 : 1</p> <p>A2 : 2</p> <p>A3 : 3</p> <p>A4 : 4</p> | List I | List II | Female genitalia | Correspondence with male genitalia | (A) Labia majora | (I) Ventral aspect of penis | (B) Labia minora | (II) Bulbo-urethral gland of male | (C) Clitoris | (III) Scrotum | (D) Bartholin's gland | (IV) Penis | 4.0 | 1.00 |
|-------------------------|---|--|--------|---------|-------------------------|---|------------------|-----------------------------|------------------|-----------------------------------|--------------|---------------|-----------------------|------------|-----|------|
| List I | List II | | | | | | | | | | | | | | | |
| Female genitalia | Correspondence with male genitalia | | | | | | | | | | | | | | | |
| (A) Labia majora | (I) Ventral aspect of penis | | | | | | | | | | | | | | | |
| (B) Labia minora | (II) Bulbo-urethral gland of male | | | | | | | | | | | | | | | |
| (C) Clitoris | (III) Scrotum | | | | | | | | | | | | | | | |
| (D) Bartholin's gland | (IV) Penis | | | | | | | | | | | | | | | |

Objective Question

Objective Question

| Objective Question | | | | |
|--------------------|------|--|-----|------|
| 34 | 5034 | | 4.0 | 1.00 |

Find out the correct statement related to ovary:

- (A) Function : Germ cell maturation, storage and its release
- (B) Function : Steroidogenesis
- (C) Pinkish – gray in colour
- (D) Covered by three layers of cubical cells
- (E) Measures $3 \times 2 \times 1$ cm

Choose the correct answer from the options given below :

A1 : 1

A2 : 2

A3 : 3

A4 : 4

Objective Question

Objective Question

| | | | | | |
|----|------|--|--|-----|------|
| 36 | 5036 | | | 4.0 | 1.00 |
|----|------|--|--|-----|------|

Match List I with List II :

| List I | List II |
|--------------------------------------|--|
| (A) Goodell Sign | (I) Molar pregnancy |
| (B) Banana Sign | (II) Neural tube defect |
| (C) Snowstorm appearance on sonogram | (III) Softening of cervix |
| (D) Jacquemiers Sign | (IV) Bluish discolouration of vaginal wall |

Choose the correct answer from the options given below :

- (1) (A)-(III), (B)-(II), (C)-(I), (D)-(IV)
- (2) (A)-(IV), (B)-(I), (C)-(II), (D)-(III)
- (3) (A)-(I), (B)-(IV), (C)-(III), (D)-(II)
- (4) (A)-(III), (B)-(I), (C)-(II), (D)-(IV)

A1 : 1

A2 : 2

A3 : 3

A4 : 4

Objective Question

| | | | | |
|----|------|--|-----|------|
| 37 | 5037 | <p>Arrange the following steps in conducting Randomised Control Trial (RCT), starting from first to last</p> <ul style="list-style-type: none"> (A) Intervention (B) Drawing up a protocol (C) Selecting reference and experimental population (D) Randomisation (E) Assessment of outcome <p>Choose the correct answer from the options given below :</p> <ul style="list-style-type: none"> (1) (A), (B), (E), (C), (D) (2) (B), (C), (D), (A), (E) (3) (B), (A), (E), (D), (C) (4) (D), (B), (A), (C), (E) <p>A1 : 1</p> <p>A2 : 2</p> <p>A3 : 3</p> <p>A4 : 4</p> | 4.0 | 1.00 |
|----|------|--|-----|------|

Objective Question

| | | | | |
|----|------|--|-----|------|
| 38 | 5038 | | 4.0 | 1.00 |
|----|------|--|-----|------|

Arrange the following phases of evolution of concept of public health in ascending chronological order from earliest to latest:

- (A) Health Promotion Phase
- (B) Social Engineering Phase
- (C) Disease Control Phase
- (D) Health for all

Choose the correct answer from the options given below :

| | |
|------------------------|------------------------|
| (1) (C), (B), (A), (D) | (2) (A), (C), (B), (D) |
| (3) (C), (A), (D), (B) | (4) (C), (A), (B), (D) |

A1 : 1

A2 : 2

A3 : 3

A4 : 4

Objective Question

| | | | | | | | | |
|----------------------|----------------------|---|----------------------|----------------------|----------------------|----------------------|-----|------|
| 39 | 5039 | <p>Which of the following statements are correct?</p> <ul style="list-style-type: none"> (A) Most common route of HIV transmission is Sexual Transmission (B) HIV was previously known as "lymphadenopathy associated virus" (C) AIDS related complex is the end stage of HIV infection (D) Primary Immune system disorder associated with HIV infection is gradual depletion of CD 8+ T – lymphocytes <table border="0" style="width: 100%;"> <tr> <td style="width: 50%; vertical-align: top;">(1) (A) and (C) only</td><td style="width: 50%; vertical-align: top;">(2) (B) and (D) only</td></tr> <tr> <td style="vertical-align: top;">(3) (C) and (D) only</td><td style="vertical-align: top;">(4) (A) and (B) only</td></tr> </table> <p>A1 : 1</p> <p>A2 : 2</p> <p>A3 : 3</p> <p>A4 : 4</p> | (1) (A) and (C) only | (2) (B) and (D) only | (3) (C) and (D) only | (4) (A) and (B) only | 4.0 | 1.00 |
| (1) (A) and (C) only | (2) (B) and (D) only | | | | | | | |
| (3) (C) and (D) only | (4) (A) and (B) only | | | | | | | |

Objective Question

| | | | | |
|----|------|--|-----|------|
| 40 | 5040 | | 4.0 | 1.00 |
|----|------|--|-----|------|

Which of the following statement is **not** true

- (A) Fat helps in digestion, transportation, absorption of Vitamin A, D, E, K
- (B) Eicosapentaenoic acid is the most important precursor of production of linolenic acid
- (C) MUFA reduces the LDL cholesterol
- (D) Cereal proteins are deficient in essential amino acid, Lysine

Choose the correct answer from the options given below :

| | |
|--------------|--------------|
| (1) (A) only | (2) (B) only |
| (3) (C) only | (4) (D) only |

A1 : 1

A2 : 2

A3 : 3

A4 : 4

Objective Question

| 41 | 5041 | <p>Match List I with List II :</p> <table border="0" style="width: 100%;"> <thead> <tr> <th style="width: 50%;">List I</th><th style="width: 50%;">List II</th></tr> <tr> <th style="text-align: center;">Zoonosis</th><th style="text-align: center;">Class of Infective agent</th></tr> </thead> <tbody> <tr> <td style="vertical-align: top;">(A) Q-Fever</td><td style="vertical-align: top;">(I) Protozoa</td></tr> <tr> <td style="vertical-align: top;">(B) Lassa Fever</td><td style="vertical-align: top;">(II) Bacteria</td></tr> <tr> <td style="vertical-align: top;">(C) Toxoplasmosis</td><td style="vertical-align: top;">(III) Helminth</td></tr> <tr> <td style="vertical-align: top;">(D) Schistosomiasis</td><td style="vertical-align: top;">(IV) Virus</td></tr> </tbody> </table> <p>Choose the correct answer from the options given below :</p> <ul style="list-style-type: none"> (1) (A)-(IV), (B)-(I), (C)-(III), (D)-(II) (2) (A)-(I), (B)-(III), (C)-(II), (D)-(IV) (3) (A)-(IV), (B)-(I), (C)-(II), (D)-(III) (4) (A)-(II), (B)-(IV), (C)-(III), (D)-(I) <p>A1 : 1</p> <p>A2 : 2</p> <p>A3 : 3</p> <p>A4 : 4</p> | List I | List II | Zoonosis | Class of Infective agent | (A) Q-Fever | (I) Protozoa | (B) Lassa Fever | (II) Bacteria | (C) Toxoplasmosis | (III) Helminth | (D) Schistosomiasis | (IV) Virus | 4.0 | 1.00 |
|---------------------|---------------------------------|--|--------|---------|-----------------|---------------------------------|-------------|--------------|-----------------|---------------|-------------------|----------------|---------------------|------------|-----|------|
| List I | List II | | | | | | | | | | | | | | | |
| Zoonosis | Class of Infective agent | | | | | | | | | | | | | | | |
| (A) Q-Fever | (I) Protozoa | | | | | | | | | | | | | | | |
| (B) Lassa Fever | (II) Bacteria | | | | | | | | | | | | | | | |
| (C) Toxoplasmosis | (III) Helminth | | | | | | | | | | | | | | | |
| (D) Schistosomiasis | (IV) Virus | | | | | | | | | | | | | | | |

Objective Question

| | | | | |
|----|------|--|-----|------|
| 42 | 5042 | | 4.0 | 1.00 |
|----|------|--|-----|------|

Which of the following parameters is based on life expectancy at birth but includes an adjustment for time spent in poor health.

- (1) Health Adjusted Life Expectancy (HALE)
- (2) Disability Adjusted Life Years (DALY)
- (3) Quality Adjusted Life Years (QALY)
- (4) Disability Free Life Expectancy (DFLE)

A1 : 1

A2 : 2

A3 : 3

A4 : 4

Objective Question

| | | | | |
|----|------|--|-----|------|
| 43 | 5043 | <p>6 × 6 × 6 strategy comes in purview of which program</p> <ol style="list-style-type: none"> (1) Ayushman Bharat Programme (2) Rashtriya Baal Swasthya Karyakaram (3) Anaemia Mukt Bharat Programme (4) TB control programme <p>A1 : 1</p> <p>A2 : 2</p> <p>A3 : 3</p> <p>A4 : 4</p> | 4.0 | 1.00 |
|----|------|--|-----|------|

Objective Question

| | | | | |
|----|------|---|-----|------|
| 44 | 5044 | <p>As per National Immunization schedule, the Booster doses of Pneumococcal conjugate vaccine should be given in between</p> <ol style="list-style-type: none"> (1) 9 -12 months (2) 16 - 24 months (3) 5 - 6 years (4) 16 - 18 years <p>A1 : 1</p> <p>A2 : 2</p> <p>A3 : 3</p> <p>A4 : 4</p> | 4.0 | 1.00 |
|----|------|---|-----|------|

Objective Question

| | | | | |
|----|------|--|-----|------|
| 45 | 5045 | | 4.0 | 1.00 |
|----|------|--|-----|------|

Match List I with List II :

| List I | List II |
|---------------------------|----------------------|
| (A) Terminal Method | (I) Lippe's loop |
| (B) First generation IUD | (II) Cu-T |
| (C) Second generation IUD | (III) Levonorgestrel |
| (D) Third generation IUD | (IV) Vasectomy |

Choose the correct answer from the options given below :

- (1) (A)-(III), (B)-(II), (C)-(I), (D)-(IV)
- (2) (A)-(IV), (B)-(I), (C)-(II), (D)-(III)
- (3) (A)-(I), (B)-(IV), (C)-(III), (D)-(II)
- (4) (A)-(IV), (B)-(III), (C)-(II), (D)-(I)

A1 : 1

A2 : 2

A3 : 3

A4 : 4

Objective Question

| | | | | |
|----|------|---|-----|------|
| 46 | 5046 | <p>The process of rapid screening of a child with Severe Acute Malnutrition (SAM) is known as</p> <ol style="list-style-type: none"> (1) Track (2) Trace (3) Triad (4) Triage <p>A1 : 1</p> <p>A2 : 2</p> <p>A3 : 3</p> <p>A4 : 4</p> | 4.0 | 1.00 |
|----|------|---|-----|------|

Objective Question

| | | | | |
|----|------|--|-----|------|
| 47 | 5047 | <p>The Bivalent OPV (bOPV) does not contain</p> <ol style="list-style-type: none"> (1) Poliovirus Serotype 1 (2) Poliovirus Serotype 3 (3) Poliovirus Serotype 2 (4) Killed Poliovirus <p>A1 : 1</p> <p>A2 : 2</p> <p>A3 : 3</p> | 4.0 | 1.00 |
|----|------|--|-----|------|

Which of the following statement is **not** true regarding sensorineural hearing loss:

| | |
|-------------------------------------|--|
| (1) Results from lesions of Cochlea | (2) Speech discrimination is poor |
| (3) Weber lateralised to better ear | (4) Hearing is good in presence of noise |

A1 : 1

A2 : 2

A3 : 3

A4 : 4

Objective Question

| | | | | | | | | |
|----------------------|-------------------|---|----------------------|-------------------|--------------------|----------------|-----|------|
| 52 | 5052 | <p>Policeman's Heel is</p> <table border="0"> <tr> <td>(1) Plantar fascitis</td><td>(2) Hallux Vulgus</td></tr> <tr> <td>(3) Hallux rigidus</td><td>(4) Hammer Toe</td></tr> </table> <p>A1 : 1</p> <p>A2 : 2</p> <p>A3 : 3</p> <p>A4 : 4</p> | (1) Plantar fascitis | (2) Hallux Vulgus | (3) Hallux rigidus | (4) Hammer Toe | 4.0 | 1.00 |
| (1) Plantar fascitis | (2) Hallux Vulgus | | | | | | | |
| (3) Hallux rigidus | (4) Hammer Toe | | | | | | | |

Objective Question

| | | | | |
|----|------|--|-----|------|
| 53 | 5053 | <p>Arrange the following hernias in sequence from more common to less common in appearance :</p> <p>(A) Umbilical (B) Femoral (C) Direct Inguinal (D) Indirect Inguinal</p> <p>Choose the correct answer from the options given below :</p> <p>(1) (A), (C), (B), (D) (2) (D), (B), (C), (A) (3) (D), (C), (B), (A) (4) (C), (D), (A), (B)</p> <p>A1 : 1</p> <p>A2 : 2</p> <p>A3 : 3</p> <p>A4 : 4</p> | 4.0 | 1.00 |
|----|------|--|-----|------|

| Objective Question | | | | |
|--------------------|------|---|------------------|------|
| 55 | 5055 | Which phase of wound healing is characterised by replacement of type III Collagen by stronger type I Collagen : | 4.0 | 1.00 |
| | | (1) Haemostasis | (2) Inflammation | |
| | | (3) Proliferation | (4) Remodelling | |
| | | A1 : 1 | | |
| | | A2 : 2 | | |
| | | A3 : 3 | | |
| | | A4 : 4 | | |

| Objective Question | | | | |
|--------------------|------|---|-----|------|
| 56 | 5056 | Which of the following features are true for direct inguinal hernia? | 4.0 | 1.00 |
| | | <p>(A) Women particularly never develop this</p> <p>(B) Very common to encounter strangulation in this</p> <p>(C) Elderly individuals are usually affected</p> <p>(D) It appears as a forward bulge</p> <p>Choose the correct answer from the options given below :</p> <p>(1) (A), (C) and (D) only</p> <p>(2) (A), (B) and (C) only</p> <p>(3) (B), (C) and (D) only</p> <p>(4) (A), (B) and (D) only</p> | | |

A3 : 3
A4 : 4

Objective Question

Objective Question

| 58 5058 | | The most common cause of Congenital hypothyroidism is | 4.0 | 1.00 |
|---------|--|---|-----|------|
| | | (1) Inborn errors of thyroid hormone synthesis | | |
| | | (2) Thyroid gland dysgenesis | | |
| | | (3) TSH - R antibody mediated | | |
| | | (4) Amyloidosis | | |
| | | A1 : 1 | | |
| | | A2 : 2 | | |
| | | A3 : 3 | | |
| | | A4 : 4 | | |

Objective Question

| Objective Question | | | | | |
|--------------------|------|---|-----|------|--|
| 67 | 5067 | Given below are two statements : Statement I : The two cardinal clinical manifestation of folate deficiency are macrocytic megaloblastic anaemia and glossitis. Statement II : The two main Laboratory tests used to detect folate deficiency are serum folate assay and Red Cell folate assay. In the light of the above statements, choose the <i>most appropriate</i> answer from the options given below : (1) Both Statement I and Statement II are correct (2) Both Statement I and Statement II are incorrect (3) Statement I is correct but Statement II is incorrect (4) Statement I is incorrect but Statement II is correct | 4.0 | 1.00 | |
| | | A1 : 1 | | | |
| | | A2 : 2 | | | |
| | | A3 : 3 | | | |
| | | A4 : 4 | | | |

| Objective Question | | | 4.0 | 1.00 |
|--------------------|------|--|-----|------|
| 68 | 5068 | | | |

Which of the following statements are correct about Human Papilloma Virus (HPV) infection?

A1 : 1

A2 : 2

A3 : 3

A4 : 4

Objective Question

| | | | | |
|----|------|---|-----|------|
| 69 | 5069 | <p>Given below are two statements :</p> <p>With respect to Von Willebrand's Disease :</p> <p>Statement I : Von Willebrand's disease is an inherited disorder of haemostasis, which resembles haemophilia.</p> <p>Statement II : Von Willebrand's disease is characterised by a defect of platelet function, giving rise to long bleeding time and a coagulation defect due to deficiency of factor VIII activity in the plasma.</p> <p>In the light of the above statements, choose the <i>most appropriate</i> answer from the options given below :</p> <p>(1) Both Statement I and Statement II are correct</p> <p>(2) Both Statement I and Statement II are incorrect</p> <p>(3) Statement I is correct but Statement II is incorrect</p> <p>(4) Statement I is incorrect but Statement II is correct</p> | 4.0 | 1.00 |
| | | A1 : 1 | | |
| | | A2 : 2 | | |
| | | A3 : 3 | | |
| | | A4 : 4 | | |

Objective Question

| | | | | | |
|----|------|--|--|-----|------|
| 70 | 5070 | | | 4.0 | 1.00 |
|----|------|--|--|-----|------|

Consider the following statements about their correctness about the different gait disturbance and their description :

- (A) Parkinsonian : Stooped posture, shuffling, loss of arm swing, postural instability, freezing.
- (B) Spastic : Stiff 'walking – through – mud' or scissor's gait.
- (C) Central ataxia : wide-based, 'drunken'. Tandem gait poor
- (D) Sensory ataxia : Waddling (Proximal Weakness), Bilateral Trendelenburg Signs.
- (E) Myopathic : Wide – based, Positive Romberg Sign

Choose the correct answer from the options given below :

| | |
|---------------------------|--------------------------------|
| (1) (A), (B) and (C) only | (2) (B) and (E) only |
| (3) (A), (C) and (D) only | (4) (A), (C), (D) and (E) only |

A1 : 1

A2 : 2

A3 : 3

A4 : 4

Objective Question

| 71 | 5071 | <p>Match List I with List II :</p> <table border="0" style="width: 100%;"> <thead> <tr> <th style="width: 50%;">List I (Disorder)</th><th style="width: 50%;">List II (Precipitating factor)</th></tr> </thead> <tbody> <tr> <td>(A) Byssinosis disorder</td><td>(I) Contamination of air conditioning</td></tr> <tr> <td>(B) Inhalation (Humidifier) fever disorder</td><td>(II) Textile Industries</td></tr> <tr> <td>(C) Farmer's lung disorder</td><td>(III) Reed of any Wind Instrument</td></tr> <tr> <td>(D) Saxophone Player's lung</td><td>(IV) Mouldy, hay, straw, grain</td></tr> </tbody> </table> <p>Choose the correct answer from the options given below :</p> <ul style="list-style-type: none"> (1) (A)-(I), (B)-(II), (C)-(III), (D)-(IV) (2) (A)-(II), (B)-(I), (C)-(IV), (D)-(III) (3) (A)-(I), (B)-(II), (C)-(IV), (D)-(III) (4) (A)-(IV), (B)-(I), (C)-(III), (D)-(II) <p>A1 : 1</p> <p>A2 : 2</p> <p>A3 : 3</p> <p>A4 : 4</p> | List I (Disorder) | List II (Precipitating factor) | (A) Byssinosis disorder | (I) Contamination of air conditioning | (B) Inhalation (Humidifier) fever disorder | (II) Textile Industries | (C) Farmer's lung disorder | (III) Reed of any Wind Instrument | (D) Saxophone Player's lung | (IV) Mouldy, hay, straw, grain | 4.0 | 1.00 |
|--|---------------------------------------|---|-------------------|--------------------------------|-------------------------|---------------------------------------|--|-------------------------|----------------------------|-----------------------------------|-----------------------------|--------------------------------|-----|------|
| List I (Disorder) | List II (Precipitating factor) | | | | | | | | | | | | | |
| (A) Byssinosis disorder | (I) Contamination of air conditioning | | | | | | | | | | | | | |
| (B) Inhalation (Humidifier) fever disorder | (II) Textile Industries | | | | | | | | | | | | | |
| (C) Farmer's lung disorder | (III) Reed of any Wind Instrument | | | | | | | | | | | | | |
| (D) Saxophone Player's lung | (IV) Mouldy, hay, straw, grain | | | | | | | | | | | | | |

Objective Question

| | | | | |
|----|------|--|-----|------|
| 72 | 5072 | | 4.0 | 1.00 |
|----|------|--|-----|------|

Match List I with List II :

| List I | List II |
|------------------------|-------------------------------|
| (A) Murphy's Sign | (I) Haemorrhagic Pancreatitis |
| (B) Rovsing's Sign | (II) Bronchiectasis |
| (C) Signet-ring Sign | (III) Acute Cholecystitis |
| (D) Grey Turner's Sign | (IV) Acute Appendicitis |

Choose the correct answer from the options given below :

- (1) (A)-(IV), (B)-(I), (C)-(II), (D)-(III)
- (2) (A)-(I), (B)-(II), (C)-(IV), (D)-(III)
- (3) (A)-(II), (B)-(III), (C)-(I), (D)-(IV)
- (4) (A)-(III), (B)-(IV), (C)-(II), (D)-(I)

A1 : 1

A2 : 2

A3 : 3

A4 : 4

Objective Question

| | | | | |
|----|------|---|-----|------|
| 73 | 5073 | <p>The greatest elevation of serum alkaline phosphatase level is most likely to be found in which of the following liver disease?</p> <ol style="list-style-type: none"> (1) Hepatitis (2) Fatty liver (3) Cirrhosis of liver (4) Biliary tract obstruction | 4.0 | 1.00 |
| | | <p>A1 : 1</p> <p>A2 : 2</p> <p>A3 : 3</p> <p>A4 : 4</p> | | |

Objective Question

| | | | | |
|----|------|---|-----|------|
| 74 | 5074 | <p>Which of the following is the commonest histologic form of malignant epithelial lung tumors?</p> <ol style="list-style-type: none"> (1) Small – Cell lung carcinoma (2) Squamous cell carcinoma (3) Adeno carcinoma (4) Large cell carcinoma | 4.0 | 1.00 |
| | | <p>A1 : 1</p> <p>A2 : 2</p> | | |

A3 : 3
A4 : 4

Objective Question

Objective Question

| 76 | 5076 | <p>Match List I with List II :</p> <table> <thead> <tr> <th style="text-align: center;">List I</th><th style="text-align: center;">List II</th></tr> <tr> <th style="text-align: center;">Pathology</th><th style="text-align: center;">Associated disease condition</th></tr> </thead> <tbody> <tr> <td>(A) Increased Reid Index</td><td>(I) Hodgkin lymphoma</td></tr> <tr> <td>(B) Mallory Hyaline</td><td>(II) Chronic bronchitis</td></tr> <tr> <td>(C) Reed Sternberg cell</td><td>(III) Alcoholic liver injury</td></tr> <tr> <td>(D) Caseous necrosis</td><td>(IV) Tuberculosis</td></tr> </tbody> </table> <p>Choose the correct answer from the options given below :</p> <p>(1) (A)-(II), (B)-(I), (C)-(IV), (D)-(III) (2) (A)-(IV), (B)-(I), (C)-(II), (D)-(III) (3) (A)-(II), (B)-(III), (C)-(I), (D)-(IV) (4) (A)-(III), (B)-(II), (C)-(IV), (D)-(I)</p> <p>A1 : 1</p> <p>A2 : 2</p> <p>A3 : 3</p> <p>A4 : 4</p> | List I | List II | Pathology | Associated disease condition | (A) Increased Reid Index | (I) Hodgkin lymphoma | (B) Mallory Hyaline | (II) Chronic bronchitis | (C) Reed Sternberg cell | (III) Alcoholic liver injury | (D) Caseous necrosis | (IV) Tuberculosis | 4.0 | 1.00 |
|--------------------------|-------------------------------------|---|--------|---------|------------------|-------------------------------------|--------------------------|----------------------|---------------------|-------------------------|-------------------------|------------------------------|----------------------|-------------------|-----|------|
| List I | List II | | | | | | | | | | | | | | | |
| Pathology | Associated disease condition | | | | | | | | | | | | | | | |
| (A) Increased Reid Index | (I) Hodgkin lymphoma | | | | | | | | | | | | | | | |
| (B) Mallory Hyaline | (II) Chronic bronchitis | | | | | | | | | | | | | | | |
| (C) Reed Sternberg cell | (III) Alcoholic liver injury | | | | | | | | | | | | | | | |
| (D) Caseous necrosis | (IV) Tuberculosis | | | | | | | | | | | | | | | |

Objective Question

| | | | | |
|----|------|--|-----|------|
| 77 | 5077 | The cells in the last part of Distal Convoluted tubule and in the collecting ducts that reabsorb sodium and are regulated by ADH and Aldosterone are known as (1) Macula Densa (2) Juxtaglomerular Cells (3) Principal Cells (4) Mesangial Cells | 4.0 | 1.00 |
| | | A1 : 1 | | |
| | | A2 : 2 | | |
| | | A3 : 3 | | |
| | | A4 : 4 | | |

Objective Question

Objective Question

Match List I with List II :

| List I | List II |
|---|----------------------|
| (A) Period of time when semilunar (I) valves are open and blood flows out of ventricles | Stroke volume |
| (B) Amount of blood ejected by (II) ventricle during each systole | Cardiac output |
| (C) Amount of blood ejected per minute (III) by the left ventricle into aorta | Cardiac reserve |
| (D) Difference between maximum (IV) cardiac output and cardiac output at rest | Ventricular ejection |

Choose the correct answer from the options given below :

- (1) (A)-(II), (B)-(III), (C)-(I), (D)-(IV)
- (2) (A)-(IV), (B)-(I), (C)-(II), (D)-(III)
- (3) (A)-(I), (B)-(II), (C)-(III), (D)-(IV)
- (4) (A)-(II), (B)-(IV), (C)-(I), (D)-(III)

A1 : 1

A2 : 2

A3 : 3

A4 : 4

Objective Question

| | | | | |
|----|------|---|-----|------|
| 80 | 5080 | <p>Given below are two statements :</p> <p>Statement I : In a cord-blood transplant, stem cells from the placenta are removed from the umbilical cord, while Bone marrow transplants involve removal of red bone marrow as a source of stem cells from the iliac crest.</p> <p>Statement II : Cord-blood transplants have several advantages over bone marrow transplants.</p> <p>In the light of the above statements, choose the <i>most appropriate</i> answer from the options given below :</p> <ol style="list-style-type: none"> (1) Both Statement I and Statement II are correct (2) Both Statement I and Statement II are incorrect (3) Statement I is correct but Statement II is incorrect (4) Statement I is incorrect but Statement II is correct <p>A1 : 1</p> | 4.0 | 1.00 |
|----|------|---|-----|------|

A2 : 2
A3 : 3
A4 : 4

Objective Question

| | | | | | |
|----|------|---|-------------------------|-----|------|
| 81 | 5081 | Which bone does not follow the "Law of ossification". (1) Femur (3) Humerus | (2) Tibia (4) Fibula | 4.0 | 1.00 |
| | | A1 : 1 | | | |
| | | A2 : 2 | | | |
| | | A3 : 3 | | | |
| | | A4 : 4 | | | |

Objective Question

| | | | | |
|----|------|--|-----|------|
| 82 | 5082 | Which of the following structure does not pass through the carpal tunnel? <ul style="list-style-type: none">(1) Palmaris longus(2) Tendons of flexor digitorum superficialis(3) Tendon of flexor pollicis longus(4) Tendon of flexor carpi radialis <p>A1 : 1</p> <p>A2 : 2</p> <p>A3 : 3</p> <p>A4 : 4</p> | 4.0 | 1.00 |
|----|------|--|-----|------|

Objective Question

| Objective Question | | | | | | | | | | | | | | | | |
|-----------------------------|---|---|--------------------|-------------------|-------------------|-----------------------|--------------------|---|-----------------------------|------------------------|---------------------|-------------------------|-----|------|--|--|
| 84 | 5084 | <p>Match List I with List II :</p> <table> <thead> <tr> <th style="text-align: center;">List I (Structure)</th> <th style="text-align: center;">List II (Content)</th> </tr> </thead> <tbody> <tr> <td style="text-align: center;">(A) Foramen Ovale</td> <td style="text-align: center;">(I) Hypoglossal nerve</td> </tr> <tr> <td style="text-align: center;">(B) Foramen Magnum</td> <td style="text-align: center;">(II) Meningeal branch of occipital artery</td> </tr> <tr> <td style="text-align: center;">(C) Anterior Condylar Canal</td> <td style="text-align: center;">(III) Mandibular nerve</td> </tr> <tr> <td style="text-align: center;">(D) Jugular Foramen</td> <td style="text-align: center;">(IV) Vertebral arteries</td> </tr> </tbody> </table> <p>Choose the correct answer from the options given below :</p> <p>(1) (A)-(II), (B)-(I), (C)-(IV), (D)-(III) (2) (A)-(III), (B)-(IV), (C)-(I), (D)-(II) (3) (A)-(III), (B)-(I), (C)-(II), (D)-(IV) (4) (A)-(III), (B)-(II), (C)-(IV), (D)-(I)</p> <p>A1 : 1 A2 : 2 A3 : 3 A4 : 4</p> | List I (Structure) | List II (Content) | (A) Foramen Ovale | (I) Hypoglossal nerve | (B) Foramen Magnum | (II) Meningeal branch of occipital artery | (C) Anterior Condylar Canal | (III) Mandibular nerve | (D) Jugular Foramen | (IV) Vertebral arteries | 4.0 | 1.00 | | |
| List I (Structure) | List II (Content) | | | | | | | | | | | | | | | |
| (A) Foramen Ovale | (I) Hypoglossal nerve | | | | | | | | | | | | | | | |
| (B) Foramen Magnum | (II) Meningeal branch of occipital artery | | | | | | | | | | | | | | | |
| (C) Anterior Condylar Canal | (III) Mandibular nerve | | | | | | | | | | | | | | | |
| (D) Jugular Foramen | (IV) Vertebral arteries | | | | | | | | | | | | | | | |

| | | | | | | | | | |
|--------------------|-------------|--|---------|----------|---------|-------------|-----|------|--|
| Objective Question | | | | | | | | | |
| 85 | 5085 | <p>The Myelohyoid line in mandible helps us in the determination of :</p> <table> <tbody> <tr> <td style="text-align: center;">(1) Age</td> <td style="text-align: center;">(2) Race</td> </tr> <tr> <td style="text-align: center;">(3) Sex</td> <td style="text-align: center;">(4) Stature</td> </tr> </tbody> </table> <p>A1 : 1 A2 : 2 A3 : 3 A4 : 4</p> | (1) Age | (2) Race | (3) Sex | (4) Stature | 4.0 | 1.00 | |
| (1) Age | (2) Race | | | | | | | | |
| (3) Sex | (4) Stature | | | | | | | | |

| | | | | | | | | | |
|--------------------|------------|--|----------|-----------|-----------|------------|-----|------|--|
| Objective Question | | | | | | | | | |
| 86 | 5086 | <p>The force of constriction necessary for occlusion of trachea is equivalent of</p> <table> <tbody> <tr> <td style="text-align: center;">(1) 1 kg</td> <td style="text-align: center;">(2) 3 kgs</td> </tr> <tr> <td style="text-align: center;">(3) 5 kgs</td> <td style="text-align: center;">(4) 15 kgs</td> </tr> </tbody> </table> <p>A1 : 1 A2 : 2</p> | (1) 1 kg | (2) 3 kgs | (3) 5 kgs | (4) 15 kgs | 4.0 | 1.00 | |
| (1) 1 kg | (2) 3 kgs | | | | | | | | |
| (3) 5 kgs | (4) 15 kgs | | | | | | | | |

| | | | | |
|--|--|--------|--|--|
| | | A3 : 3 | | |
| | | A4 : 4 | | |

Objective Question

| | | | | |
|----|------|--|-----|------|
| 87 | 5087 | <p>Given below are two statements :</p> <p>Statement I : The caliber of a rifled firearm is measured between two diagonally opposite grooves.</p> <p>Statement II : The caliber of a rifled firearm is measured between two diagonally opposite lands.</p> <p>In the light of the above statements, choose the <i>most appropriate</i> answer from the options given below :</p> <p>(1) Both Statement I and Statement II are correct (2) Both Statement I and Statement II are incorrect (3) Statement I is correct but Statement II is incorrect (4) Statement I is incorrect but Statement II is correct</p> <p>A1 : 1 A2 : 2 A3 : 3 A4 : 4</p> | 4.0 | 1.00 |
|----|------|--|-----|------|

Objective Question

| | | | | |
|----|------|--|-----|------|
| 88 | 5088 | <p>The venom of which snake is NOT used for preparation of polyvalent antivenin</p> <p>(1) King cobra (2) Saw - scaled viper (3) Common krait (4) Russell's viper</p> <p>A1 : 1 A2 : 2 A3 : 3 A4 : 4</p> | 4.0 | 1.00 |
|----|------|--|-----|------|

Objective Question

| | | | | |
|----|------|--|-----|------|
| 89 | 5089 | | 4.0 | 1.00 |
|----|------|--|-----|------|

The Rubric 'Vertigo' is given in Boenninghausen's TPB under which chapter :

| | |
|-------------------|-------------------|
| (1) Internal head | (2) External head |
| (3) Intellect | (4) Sensations |

A1 : 1

A2 : 2

A3 : 3

A4 : 4

Objective Question

| | | | | | | | | |
|--------------------|-----------------|---|-------------|-----------------|--------------------|--------------|-----|------|
| 90 | 5090 | <p>Which of the following rubrics is NOT found in Kent's Repertory?</p> <table border="0"> <tr> <td>(1) Playful</td><td>(2) Prophesying</td></tr> <tr> <td>(3) Power, love of</td><td>(4) Paranoia</td></tr> </table> <p>A1 : 1</p> <p>A2 : 2</p> <p>A3 : 3</p> <p>A4 : 4</p> | (1) Playful | (2) Prophesying | (3) Power, love of | (4) Paranoia | 4.0 | 1.00 |
| (1) Playful | (2) Prophesying | | | | | | | |
| (3) Power, love of | (4) Paranoia | | | | | | | |

Objective Question

| | | | | | | | | |
|--|------|---|--|---|--|--|-----|------|
| 91 | 5091 | <p>The Rubric "Related Remedies" is found in :</p> <table border="0"> <tr> <td>(1) Boenninghausen's Therapeutic Pocket Book</td></tr> <tr> <td>(2) Clinical repertory by Oscar E. Boericke</td></tr> <tr> <td>(3) Repertory of the Homeopathic materia medica – by J.T. Kent</td></tr> <tr> <td>(4) Boger Boenninghausen's Characteristics and Repertory</td></tr> </table> <p>A1 : 1</p> <p>A2 : 2</p> <p>A3 : 3</p> <p>A4 : 4</p> | (1) Boenninghausen's Therapeutic Pocket Book | (2) Clinical repertory by Oscar E. Boericke | (3) Repertory of the Homeopathic materia medica – by J.T. Kent | (4) Boger Boenninghausen's Characteristics and Repertory | 4.0 | 1.00 |
| (1) Boenninghausen's Therapeutic Pocket Book | | | | | | | | |
| (2) Clinical repertory by Oscar E. Boericke | | | | | | | | |
| (3) Repertory of the Homeopathic materia medica – by J.T. Kent | | | | | | | | |
| (4) Boger Boenninghausen's Characteristics and Repertory | | | | | | | | |

Objective Question

| | | | | | | | | |
|----------------|------------------|--|----------------|------------------|---------------|----------------|-----|------|
| 92 | 5092 | <p>If a person develops urticaria after taking meat, as per Kent's repertory the only medicine which will be indicated is</p> <table border="0"> <tr> <td>(1) Pulsatilla</td><td>(2) Urtica Urens</td></tr> <tr> <td>(3) Dulcamara</td><td>(4) Antim crud</td></tr> </table> | (1) Pulsatilla | (2) Urtica Urens | (3) Dulcamara | (4) Antim crud | 4.0 | 1.00 |
| (1) Pulsatilla | (2) Urtica Urens | | | | | | | |
| (3) Dulcamara | (4) Antim crud | | | | | | | |

A1 : 1

A2 : 2

A3 : 3

A4 : 4

Objective Question

| | | | | |
|----|------|---|-----|------|
| 93 | 5093 | <p>The Rubric FROST-BITTEN is found in this chapter of Kent's repertory</p> <p>(1) Nose (2) Abdomen (3) Skin (4) Chill</p> <p>A1 : 1 A2 : 2 A3 : 3 A4 : 4</p> | 4.0 | 1.00 |
|----|------|---|-----|------|

Objective Question

| | | | | |
|----|------|--|-----|------|
| 94 | 5094 | <p>The first step of repertorization is</p> <p>(1) Selection of repertory (2) Case taking (3) Converting patient's symptoms into rubrics of the repertory (4) Analysis and evaluation of symptoms</p> <p>A1 : 1 A2 : 2 A3 : 3 A4 : 4</p> | 4.0 | 1.00 |
|----|------|--|-----|------|

Objective Question

| | | | | |
|----|------|--|-----|------|
| 95 | 5095 | <p>In Kent's repertory 'Diarrhoea ameliorates all symptoms' will be found under this chapter :</p> <p>(1) Stool (2) Rectum (3) Abdomen (4) Generalities</p> <p>A1 : 1 A2 : 2</p> | 4.0 | 1.00 |
|----|------|--|-----|------|

A3 : 3

A4 : 4

Objective Question

| | | | | |
|----|------|--|-----|------|
| 96 | 5096 | <p>Arrange the following regional repertoires in the chronological order of their first publication</p> <p>(A) Repertory on uterine therapeutics by – Henry Minton (B) Repertory of diarrhoea by – J. Bell (C) Repertory of Fevers by – H.C. Allen (D) Repertory of Eyes by – Berridge (E) Repertory of Heamorrhoids – By Guernsey</p> <p>Choose the correct answer from the options given below :</p> <p>(1) (A), (D), (B), (C), (E) (2) (B), (D), (C), (E), (A) (3) (D), (B), (E), (A), (C) (4) (D), (A), (B), (C), (E)</p> <p>A1 : 1 A2 : 2 A3 : 3 A4 : 4</p> | 4.0 | 1.00 |
|----|------|--|-----|------|

Objective Question

| | | | | |
|----|------|---|-----|------|
| 97 | 5097 | <p>Arrange according to the number of medicines in the following repertoires in the ascending order, ie – lowest to highest</p> <p>(A) Gentry's concordance repertory (B) C.B. Knerr's repertory of Hering's guiding symptoms (C) Boenninghausen's therapeutic pocket book (D) Boger Boenninghausen's characteristics and repertory (E) Repertory of the homoeopathic materia media – J.T. Kent</p> <p>Choose the correct answer from the options given below :</p> <p>(1) (B), (C), (D), (A), (E) (2) (A), (C), (B), (E), (D) (3) (C), (B), (A), (D), (E) (4) (C), (A), (B), (D), (E)</p> <p>A1 : 1 A2 : 2 A3 : 3 A4 : 4</p> | 4.0 | 1.00 |
|----|------|---|-----|------|

Objective Question

| | | | | |
|----|------|--|-----|------|
| 98 | 5098 | | 4.0 | 1.00 |
|----|------|--|-----|------|

Given below are two statements :

Statement I : The Rubric 'cold breath' is found in 'respiration' chapter of Kent's repertory.

Statement II : The Rubric 'Hot breath' is found in 'mouth' chapter of Kent's repertory.

In the light of the above statements, choose the *most appropriate* answer from the options given below :

- (1) Both Statement I and Statement II are correct
- (2) Both Statement I and Statement II are incorrect
- (3) Statement I is correct but Statement II is incorrect
- (4) Statement I is incorrect but Statement II is correct

A1 : 1

A2 : 2

A3 : 3

A4 : 4

Objective Question

| | | | | |
|----|------|--|-----|------|
| 99 | 5099 | | 4.0 | 1.00 |
|----|------|--|-----|------|

Given below are two statements :

Statement I : The Rubric 'DIARRHOEA' will be found in 'Anus and rectum' chapter of BBCR.

Statement II : The Rubric 'DIARRHOEA' will be found in 'abdomen' chapter of O.E. Boericke's clinical repertory.

In the light of the above statements, choose the most appropriate answer from the options given below :

- (1) Both Statement I and Statement II are correct
- (2) Both Statement I and Statement II are incorrect
- (3) Statement I is correct but Statement II is incorrect
- (4) Statement I is incorrect but Statement II is correct

A1 : 1

A2 : 2

A3 : 3

| Objective Question | | A4 : 4 | | |
|--------------------|------|---|-----|------|
| 100 | 5100 | <p>Identify the correct statements from the options given below :</p> <p>(A) Dr. George Broussalian's card repertory was based on Kent's work having 640 medicines and 1861 cards.</p> <p>(B) Dr. Jugal Kishore made the first card repertory in India.</p> <p>(C) Dr. Kent encouraged Dr. Margaret Tyler to prepare and publish a punched card repertory based on Kent's Repertory</p> <p>(D) Dr. P. Sankaran prepared and published a card repertory based on Boger's card repertory having 292 medicines and 420 cards.</p> <p>(E) Jaminez's card repertory first introduced the evaluation of drugs on the cards.</p> <p>Choose the correct answer from the options given below :</p> <p>(1) (A), (B), (C) only</p> <p>(2) (A), (D), (E) only</p> <p>(3) (C), (D), (B) only</p> <p>(4) (E), (C), (B) only</p> | 4.0 | 1.00 |
| | | A1 : 1 | | |
| | | A2 : 2 | | |
| | | A3 : 3 | | |
| | | A4 : 4 | | |

| Objective Question | | | | |
|--------------------|------|--|--|----------|
| 102 | 5102 | | | 4.0 1.00 |

Match List I with List II :

Name of the Repertory in List I with their corresponding Gradation in List II :

| List I | List II |
|--|----------------|
| (A) BTPB | (I) 2 grades |
| (B) Kent's Repertory | (II) 4 grades |
| (C) Homoeopathic medical repertory by Robin Murphy | (III) 3 grades |
| (D) Clinical repertory – O.E. Boericke | (IV) 5 grades |

Choose the correct answer from the options given below :

- (1) (A)-(I), (B)-(II), (C)-(IV), (D)-(III)
- (2) (A)-(IV), (B)-(III), (C)-(I), (D)-(II)
- (3) (A)-(II), (B)-(III), (C)-(IV), (D)-(I)
- (4) (A)-(IV), (B)-(III), (C)-(II), (D)-(I)

A1 : 1

A2 : 2

A3 : 3

A4 : 4

Objective Question

| 103 | 5103 | <p>Match rubrics in List I with Chapter of Kent's Repertory in List II :</p> <table border="0"> <thead> <tr> <th style="text-align: center;">List I</th><th style="text-align: center;">List II</th></tr> </thead> <tbody> <tr> <td style="vertical-align: top;">(A) Expression</td><td style="vertical-align: top;">(I) Mind</td></tr> <tr> <td style="vertical-align: top;">(B) Retention of urine</td><td style="vertical-align: top;">(II) Kidneys</td></tr> <tr> <td style="vertical-align: top;">(C) Antics plays</td><td style="vertical-align: top;">(III) Face</td></tr> <tr> <td style="vertical-align: top;">(D) Suppression of urine</td><td style="vertical-align: top;">(IV) Bladder</td></tr> </tbody> </table> <p>Choose the correct answer from the options given below :</p> <ol style="list-style-type: none"> (1) (A)-(III), (B)-(II), (C)-(I), (D)-(IV) (2) (A)-(III), (B)-(I), (C)-(II), (D)-(IV) (3) (A)-(III), (B)-(IV), (C)-(I), (D)-(II) (4) (A)-(I), (B)-(IV), (C)-(III), (D)-(II) <p>A1 : 1</p> <p>A2 : 2</p> <p>A3 : 3</p> <p>A4 : 4</p> | List I | List II | (A) Expression | (I) Mind | (B) Retention of urine | (II) Kidneys | (C) Antics plays | (III) Face | (D) Suppression of urine | (IV) Bladder | 4.0 | 1.00 |
|--------------------------|--------------|---|--------|---------|----------------|----------|------------------------|--------------|------------------|------------|--------------------------|--------------|-----|------|
| List I | List II | | | | | | | | | | | | | |
| (A) Expression | (I) Mind | | | | | | | | | | | | | |
| (B) Retention of urine | (II) Kidneys | | | | | | | | | | | | | |
| (C) Antics plays | (III) Face | | | | | | | | | | | | | |
| (D) Suppression of urine | (IV) Bladder | | | | | | | | | | | | | |

| Objective Question | | | | |
|--------------------|------|--|--|----------|
| 106 | 5106 | | | 4.0 1.00 |

Given below are two statements : Consider following statement regarding Kent's Eleventh observation :

Statement I : Old symptoms are observed to reappear

Statement II : It indicates that the medicine needs to be repeated at frequent interval.

In the light of the above statements, choose the most appropriate answer from the options given below :

- (1) Both Statement I and Statement II are correct
- (2) Both Statement I and Statement II are incorrect
- (3) Statement I is correct but Statement II is incorrect
- (4) Statement I is incorrect but Statement II is correct

A1 : 1

A2 : 2

A3 : 3

A4 : 4

Objective Question

| | | | | |
|-----|------|--|-----|------|
| 107 | 5107 | <p>While taking an acute case, little attention needs to be given to chronic symptoms because in acute condition</p> <ul style="list-style-type: none"> (1) Chronic symptoms usually retire into background (2) Lucid interval is common (3) Administration of sulphur is the first line of treatment (4) Chronic symptoms cause indisposition <p>A1 : 1</p> <p>A2 : 2</p> <p>A3 : 3</p> <p>A4 : 4</p> | 4.0 | 1.00 |
|-----|------|--|-----|------|

Objective Question

| | | | | |
|-----|------|--|-----|------|
| 108 | 5108 | <p>The first line of homoeopathic treatment of acute topical affections is administration of</p> <ul style="list-style-type: none"> (1) Sulphur (2) Anti-syphilitic remedy (3) General class of proved medicines (4) Cauterisation <p>A1 : 1</p> | 4.0 | 1.00 |
|-----|------|--|-----|------|

A2 : 2
A3 : 3
A4 : 4

Objective Question

| | | | | |
|-----|------|--|-----|------|
| 109 | 5109 | <p>Given below are two statements :</p> <p>Statement I : Surrogates have been recommended by Hahnemann in individualising selection of remedy.</p> <p>Statement II : Every medicine exhibits peculiar action in human drug proving, which are not produced in exactly the same manner by any other medicinal substance of a different kind.</p> <p>In the light of the above statements, choose the <i>most appropriate</i> answer from the options given below :</p> <p>(1) Both Statement I and Statement II are correct (2) Both Statement I and Statement II are incorrect (3) Statement I is correct but Statement II is incorrect (4) Statement I is incorrect but Statement II is correct</p> <p>A1 : 1 A2 : 2 A3 : 3 A4 : 4</p> | 4.0 | 1.00 |
|-----|------|--|-----|------|

Objective Question

| | | | | |
|-----|------|---|-----|------|
| 110 | 5110 | <p>Olfaction method of remedy administration is mentioned in which aphorism of sixth edition of Organon of Medicine</p> <p>(1) § 66 (2) § 155 (3) § 234 (4) § 248</p> <p>A1 : 1 A2 : 2 A3 : 3 A4 : 4</p> | 4.0 | 1.00 |
|-----|------|---|-----|------|

| | | | | |
|--|--|--------|--|--|
| | | A3 : 3 | | |
| | | A4 : 4 | | |

Objective Question

| 114 | 5114 | <p>Match List I with List II :</p> <table> <thead> <tr> <th style="text-align: center;">List I</th><th style="text-align: center;">List II</th></tr> </thead> <tbody> <tr> <td>(A) Hippocrates</td><td>(I) Aude Sapere</td></tr> <tr> <td>(B) Lord Bacon</td><td>(II) Doctrine of signature</td></tr> <tr> <td>(C) Horace</td><td>(III) Inductive logic</td></tr> <tr> <td>(D) Paracelsus</td><td>(IV) Similia similibus curantur</td></tr> </tbody> </table> <p>Choose the correct answer from the options given below :</p> <p>(1) (A)-(IV), (B)-(III), (C)-(I), (D)-(II) (2) (A)-(IV), (B)-(I), (C)-(II), (D)-(III) (3) (A)-(I), (B)-(II), (C)-(IV), (D)-(III) (4) (A)-(III), (B)-(I), (C)-(IV), (D)-(II)</p> <p>A1 : 1 A2 : 2 A3 : 3 A4 : 4</p> | List I | List II | (A) Hippocrates | (I) Aude Sapere | (B) Lord Bacon | (II) Doctrine of signature | (C) Horace | (III) Inductive logic | (D) Paracelsus | (IV) Similia similibus curantur | 4.0 | 1.00 |
|-----------------|---------------------------------|---|--------|---------|-----------------|-----------------|----------------|----------------------------|------------|-----------------------|----------------|---------------------------------|-----|------|
| List I | List II | | | | | | | | | | | | | |
| (A) Hippocrates | (I) Aude Sapere | | | | | | | | | | | | | |
| (B) Lord Bacon | (II) Doctrine of signature | | | | | | | | | | | | | |
| (C) Horace | (III) Inductive logic | | | | | | | | | | | | | |
| (D) Paracelsus | (IV) Similia similibus curantur | | | | | | | | | | | | | |

Objective Question

| | | | | | | | | |
|--------------------------|----------------------|--|--------------------------|----------------------|---------------|-------------|-----|------|
| 115 | 5115 | <p>In introduction to Organon of Medicine, Hahnemann had recommended Male Fern root in the treatment of morbid symptoms of</p> <table> <tbody> <tr> <td>(1) Obstructive jaundice</td><td>(2) Purpura miliaris</td></tr> <tr> <td>(3) Tape worm</td><td>(4) Scabies</td></tr> </tbody> </table> <p>A1 : 1 A2 : 2 A3 : 3 A4 : 4</p> | (1) Obstructive jaundice | (2) Purpura miliaris | (3) Tape worm | (4) Scabies | 4.0 | 1.00 |
| (1) Obstructive jaundice | (2) Purpura miliaris | | | | | | | |
| (3) Tape worm | (4) Scabies | | | | | | | |

Objective Question

| | | | | | | | | |
|----------------|---------------|--|---------------|---------------|----------------|---------------|-----|------|
| 116 | 5116 | <p>The proving symptoms appearing Last in the order of appearance are the most important. This concept was given by</p> <table> <tbody> <tr> <td>(1) J.T. Kent</td><td>(2) R. Hughes</td></tr> <tr> <td>(3) C.M. Boger</td><td>(4) C. Hering</td></tr> </tbody> </table> | (1) J.T. Kent | (2) R. Hughes | (3) C.M. Boger | (4) C. Hering | 4.0 | 1.00 |
| (1) J.T. Kent | (2) R. Hughes | | | | | | | |
| (3) C.M. Boger | (4) C. Hering | | | | | | | |

| | | | | |
|--|--|--------|--|--|
| | | A1 : 1 | | |
| | | A2 : 2 | | |
| | | A3 : 3 | | |
| | | A4 : 4 | | |

Objective Question

| 117 | 5117 | <p>Match List I with List II :</p> <table> <thead> <tr> <th style="text-align: center;">List I</th><th style="text-align: center;">List II</th></tr> </thead> <tbody> <tr> <td>(A) Hydrogenoid constitution</td><td>(I) Maupertius</td></tr> <tr> <td>(B) Sphere of Similia</td><td>(II) Garthe Boericke</td></tr> <tr> <td>(C) Law of least action</td><td>(III) Grauvogl</td></tr> <tr> <td>(D) Determinative symptom</td><td>(IV) Dake</td></tr> </tbody> </table> <p>Choose the correct answer from the options given below :</p> <p>(1) (A)-(I), (B)-(III), (C)-(II), (D)-(IV) (2) (A)-(III), (B)-(IV), (C)-(I), (D)-(II) (3) (A)-(III), (B)-(I), (C)-(IV), (D)-(II) (4) (A)-(II), (B)-(I), (C)-(IV), (D)-(III)</p> | List I | List II | (A) Hydrogenoid constitution | (I) Maupertius | (B) Sphere of Similia | (II) Garthe Boericke | (C) Law of least action | (III) Grauvogl | (D) Determinative symptom | (IV) Dake | 4.0 | 1.00 |
|------------------------------|----------------------|---|--------|---------|------------------------------|----------------|-----------------------|----------------------|-------------------------|----------------|---------------------------|-----------|-----|------|
| List I | List II | | | | | | | | | | | | | |
| (A) Hydrogenoid constitution | (I) Maupertius | | | | | | | | | | | | | |
| (B) Sphere of Similia | (II) Garthe Boericke | | | | | | | | | | | | | |
| (C) Law of least action | (III) Grauvogl | | | | | | | | | | | | | |
| (D) Determinative symptom | (IV) Dake | | | | | | | | | | | | | |
| | | <p>A1 : 1</p> <p>A2 : 2</p> <p>A3 : 3</p> <p>A4 : 4</p> | | | | | | | | | | | | |

Objective Question

| | | | | |
|-----|------|--|-----|------|
| 118 | 5118 | <p>Arrange the following works of Boenninghausen in the ascending order of year of publication :</p> <p>(A) Repertory of the Antipsoric Medicines (B) Therapeutic Manual for Homoeopathic Physicians (C) The Two sides of the human body and their relationship (D) Homoeopathic treatment of whooping cough (E) Attempt at showing relative kinship of Homoeopathic Medicines</p> <p>Choose the correct answer from the options given below :</p> <p>(1) (A), (E), (B), (C), (D) (2) (A), (B), (C), (E), (D) (3) (B), (A), (D), (C), (E) (4) (A), (C), (B), (E), (D)</p> | 4.0 | 1.00 |
| | | <p>A1 : 1</p> <p>A2 : 2</p> | | |

Objective Question

Objective Question

| | | | | |
|-----|------|---|-----|------|
| 120 | 5120 | <p>Consider the following statements :</p> <p>(A) Cognates are closely related to each other</p> <p>(B) Administration of antidote after wrong administration of medicine is a form of second prescription</p> <p>(C) When the symptoms commence to change in an orderly way and finally go back to their original state it is indication for administration of complementary medicine.</p> <p>(D) Change of the remedy is required when striking new symptoms appear and there is an entire change of base in the symptoms.</p> <p>Choose the correct answer from the options given below :</p> <p>(1) (A), (B) and (D) only</p> <p>(2) (A), (C), (D) only</p> <p>(3) (B) and (D) only</p> <p>(4) (A) and (B) only</p> | 4.0 | 1.00 |
|-----|------|---|-----|------|

| | | | |
|--|--------|--|--|
| | | | |
| | A3 : 3 | | |

A4 : 4