

AIAPGET 31st July 2023 with provisional keys

Application No	
Candidate Name	
Roll No	
Test Date	31/07/2023
Test Time	9:00 AM - 11:00 AM
Subject	Homeopathy

Section : **Homeopathy**

Q.1 What is the correct sequence of hormones secreted during menstrual cycle ?

- (A) GnRH
- (B) FSH
- (C) Estrogen
- (D) LH
- (E) Progesterone

Choose the **correct** answer from the options given below :

- (1) (A), (B), (C), (D), (E)
- (2) (A), (B), (D), (C), (E)
- (3) (A), (C), (B), (E)
- (4) (C), (B), (E), (A)

Options 1. 1

2. 2

3. 3

4. 4



Question Type : **MCQ**

Question ID : **479548609**

Option 1 ID : **4795482433**

Option 2 ID : **4795482434**

Option 3 ID : **4795482435**

Option 4 ID : **4795482436**

Status : **Answered**

Q.2 Premature contraction of heart or extrasystole is caused due to :

- (1) Local area of ischaemia
- (2) Toxic irritation of A-V node
- (3) Both (1) and (2)
- (4) Extreme stimulation of heart by vagus nerve

Options 1. 1

2. 2

3. 3

4. 4



Question Type : **MCQ**

Question ID : **479548642**

Option 1 ID : **4795482565**

Option 2 ID : **4795482566**

Option 3 ID : **4795482567**

Option 4 ID : **4795482568**

Status : **Answered**

Q.3 In case of drowning, gastric mucosa shows micro-ruptures due to air stretching as a result of ingested fluid this is called :

- (1) UENO's sign
- (2) WYDLER's sign
- (3) SABINSKY's sign
- (4) SEHRT's sign

Options 1. 1

2. 2

3. 3

4. 4



Question Type : **MCQ**

Question ID : **479548698**

Option 1 ID : **4795482789**

Option 2 ID : **4795482790**

Option 3 ID : **4795482791**

Option 4 ID : **4795482792**

Status : **Answered**

Q.4 Given below are two statements.

Statement I : Cullen's sign is positive in Ruptured ectopic pregnancy.

Statement II : Boes's sign is positive in chronic tonsillitis.

In the light of the above statements, choose the **most appropriate** answer from the options given below.

- (1) Both **Statement I** and **Statement II** are correct
- (2) Both **Statement I** and **Statement II** are incorrect
- (3) **Statement I** is correct but **Statement II** is incorrect
- (4) **Statement I** is incorrect but **Statement II** is correct

Options

- 1. 1
- 2. 2
- 3. 3
- 4. 4



Question Type : **MCQ**

Question ID : **479548634**

Option 1 ID : **4795482533**

Option 2 ID : **4795482534**

Option 3 ID : **4795482535**

Option 4 ID : **4795482536**

Status : **Answered**

Q.5 Most appropriate regimen during treatment of chronic disease is/ are :

- (A) Intellectual recreation
- (B) Active exercise in open air in almost all kind of weather
- (C) Nutritious unmedicinal food and drink
- (D) Removal of obstacle to cure

Choose the **correct** answer from the options given below.

- (1) (A), (B), (C), (D)
- (2) (A), (C), (D) Only
- (3) (B), (C) Only
- (4) (C), (D) Only

Options 1. 1

2. 2

3. 3

4. 4



Question Type : **MCQ**

Question ID : **479548684**

Option 1 ID : **4795482733**

Option 2 ID : **4795482734**

Option 3 ID : **4795482735**

Option 4 ID : **4795482736**

Status : **Answered**

Q.6 The most common cause of midsystolic murmur in adult patients is :

- (1) Aortic stenosis
- (2) Aortic regurgitation
- (3) Pulmonary valve stenosis
- (4) Mitral stenosis

Options 1. 1

2. 2

3. 3

4. 4



Question Type : **MCQ**

Question ID : **479548692**

Option 1 ID : **4795482765**

Option 2 ID : **4795482766**

Option 3 ID : **4795482767**

Option 4 ID : **4795482768**

Status : **Answered**

Q.7 A patient of epilepsy presented with sudden loss of postural muscle tone lasting 1-2 seconds. There was brief impairment of consciousness but no post-ictal confusion. The most likely diagnosis is :

- (1) Generalized tonic-clonic seizure
- (2) Myoclonic seizure
- (3) Atonic seizure
- (4) Focal sensory seizure

Options 1. 1

2. 2

3. 3

4. 4



Question Type : **MCQ**

Question ID : **479548713**

Option 1 ID : **4795482849**

Option 2 ID : **4795482850**

Option 3 ID : **4795482851**

Option 4 ID : **4795482852**

Status : **Answered**

Q.8 Patient come with symptom of Burning in soles at night.

In this context, arrangement of Rubric according to Kents repertory is :

- (1) Extremities, Pain, Burning, lower limb, Foot, Sole night
- (2) Extremities, Burning pain, Foot, Sole night
- (3) Extremities foot, Sole, Burning pain night
- (4) Extremities, Burning sole night during

Options 1. 1

2. 2

3. 3

4. 4



Question Type : **MCQ**

Question ID : **479548632**

Option 1 ID : **4795482525**

Option 2 ID : **4795482526**

Option 3 ID : **4795482527**

Option 4 ID : **4795482528**

Status : **Answered**

Q.9 Most common primary malignant tumour of thyroid glands is :

- (1) Follicular carcinoma
- (2) Papillary carcinoma
- (3) Medullary carcinoma
- (4) Lymphoma

Options 1. 1

2. 2

3. 3

4. 4



Question Type : **MCQ**

Question ID : **479548635**

Option 1 ID : **4795482537**

Option 2 ID : **4795482538**

Option 3 ID : **4795482539**

Option 4 ID : **4795482540**

Status : **Answered**

Q.10 Which of the following conditions are associated with Type I Respiratory failure ?

- (A) ARDS
- (B) Drug overdose
- (C) Pneumonia
- (D) Brain stem injury

Choose the **most appropriate** answer from the options given below :

- (1) (A) and (B) Only
- (2) (B) and (C) Only
- (3) (A) and (C) Only
- (4) (B) and (D) Only

Options 1. 1

2. 2

3. 3

4. 4



Question Type : **MCQ**

Question ID : **479548694**

Option 1 ID : **4795482773**

Option 2 ID : **4795482774**

Option 3 ID : **4795482775**

Option 4 ID : **4795482776**

Status : **Answered**

Chosen Option : **3**

Q.11

Match List-I with List-II.

List-I**List-II**

- | | |
|-------------------------|--------------------|
| (A) Mental disease | (I) Aphorism 232 |
| (B) Alternating disease | (II) Aphorism 210 |
| (C) Indisposition | (III) Aphorism 235 |
| (D) Intermittent fever | (IV) Aphorism 150 |

Choose the **correct** answer from the options given below.


- (1) (A)-(II), (B)-(I), (C)-(IV), (D)-(III)
- (2) (A)-(IV), (B)-(III), (C)-(II), (D)-(I)
- (3) (A)-(III), (B)-(II), (C)-(IV), (D)-(I)
- (4) (A)-(II), (B)-(IV), (C)-(III), (D)-(I)

Options 1. 1

2. 2

3. 3

4. 4

Question Type : **MCQ**Question ID : **479548687**Option 1 ID : **4795482745**Option 2 ID : **4795482746**Option 3 ID : **4795482747**Option 4 ID : **4795482748**Status : **Answered**

Chosen Option :

Q.12

Match List-I with List-II.

List-I	List-II
(A) Pulsatilla	(I) Viscid saliva
(B) Nitric acid	(II) Sour saliva
(C) Ignatia	(III) Bloody saliva
(D) Kali bich	(IV) Sweet saliva

Choose the **correct** answer from the options given below.


- (1) (A)-(II), (B)-(I), (C)-(III), (D)-(IV)
 (2) (A)-(IV), (B)-(II), (C)-(III), (D)-(I)
 (3) (A)-(III), (B)-(II), (C)-(IV), (D)-(I)
 (4) (A)-(IV), (B)-(III), (C)-(II), (D)-(I)

Options 1. 1

2. 2

3. 3

4. 4

Question Type : **MCQ**Question ID : **479548668**Option 1 ID : **4795482669**Option 2 ID : **4795482670**Option 3 ID : **4795482671**Option 4 ID : **4795482672**Status : **Answered**

Chosen Option :

Q.13 In the Repertory of Homoeopathic Materia Medica by Kent, which of the following chapters have given rubric 'Freckles' ?

- (A) Skin
- (B) Generalities
- (C) Nose
- (D) Mind

Choose the **most appropriate** answer from the options given below :

- (1) (A) and (B) Only
- (2) (C) and (D) Only
- (3) (A) and (C) Only
- (4) (B) and (D) Only

Options 1. 1

2. 2

3. 3

4. 4



Question Type : **MCQ**

Question ID : **479548604**

Option 1 ID : **4795482413**

Option 2 ID : **4795482414**

Option 3 ID : **4795482415**

Option 4 ID : **4795482416**

Status : **Answered**

Chosen Option :

Q.14 Which of the following rubric from BBCR is not given in the mind section of Kent's Repertory ?

- (1) Positiveness
- (2) Playful
- (3) Passionate
- (4) Prophesying

Options 1. 1

2. 2

3. 3

4. 4

Question Type : **MCQ**

Question ID : **479548664**

Option 1 ID : **4795482653**

Option 2 ID : **4795482654**

Option 3 ID : **4795482655**

Option 4 ID : **4795482656**

Status : **Answered**

Chosen Option :



Q.15 Given below are two statements : One is labelled as **Assertion (A)** and the other is labelled as **Reason (R)**.

Assertion (A) : Chronic alcohol ingestion causes hepatic steatosis.

Reason (R) : Conversion of acetate into acetyl-coenzyme A contributes to fatty acid and triglyceride synthesis in liver.

In the light of the above statements, choose the **most appropriate** answer from the options given below :

- (1) Both **(A)** and **(R)** are correct and **(R)** is the correct explanation of **(A)**
- (2) Both **(A)** and **(R)** are correct but **(R)** is NOT the correct explanation of **(A)**
- (3) **(A)** is correct but **(R)** is not correct
- (4) **(A)** is not correct but **(R)** is correct

Options

- 1. 1
- 2. 2
- 3. 3
- 4. 4



Question Type : **MCQ**

Question ID : **479548716**

Option 1 ID : **4795482861**

Option 2 ID : **4795482862**

Option 3 ID : **4795482863**

Option 4 ID : **4795482864**

Status : **Answered**

Chosen Option :

Q.16

Spiegelberg's criteria is for :

- (1) Fallopian tube
- (2) Ovary
- (3) Uterus
- (4) Cervix

Options 1. 1

2. 2

3. 3

4. 4



Question Type : **MCQ**

Question ID : **479548612**

Option 1 ID : **4795482445**

Option 2 ID : **4795482446**

Option 3 ID : **4795482447**

Option 4 ID : **4795482448**

Status : **Answered**

Chosen Option :

Q.17 Following Homoeopathic drugs are derived from Euphorbiaceae family except :

- (1) Croton tiglium
- (2) Eucalyptus globulus
- (3) Acalypha indica
- (4) Jatropha curcas

Options 1. 1

2. 2

3. 3

4. 4



Question Type : **MCQ**

Question ID : **479548647**

Option 1 ID : **4795482585**

Option 2 ID : **4795482586**

Option 3 ID : **4795482587**

Option 4 ID : **4795482588**

Status : **Answered**

Chosen Option : --

Q.18 Mallory bodies are present in which of the following condition ?

- (1) Acute appendicitis
- (2) Chronic cholecystitis
- (3) Chronic bronchitis
- (4) Alcoholic hepatitis

Options 1. 1

2. 2

3. 3

4. 4



Question Type : **MCQ**

Question ID : **479548651**

Option 1 ID : **4795482601**

Option 2 ID : **4795482602**

Option 3 ID : **4795482603**

Option 4 ID : **4795482604**

Status : **Answered**

Chosen Option :

Q.19 In which of the following chapter of TPB, prostate is mentioned ?

- (1) Urinary organs
- (2) Urine
- (3) Micturition
- (4) Sexual organs

Options 1. 1

2. 2

3. 3

4. 4



Question Type : **MCQ**

Question ID : **479548644**

Option 1 ID : **4795482573**

Option 2 ID : **4795482574**

Option 3 ID : **4795482575**

Option 4 ID : **4795482576**

Status : **Answered**

Chosen Option :

Q.20

Pott's disease is :

- (1) Tuberculosis of the calcaneum
- (2) Tuberculosis of the Ribs
- (3) Tuberculosis of the spine
- (4) Malignancy of the spine

Options 1. 1

2. 2

3. 3

4. 4

Question Type : **MCQ**Question ID : **479548620**Option 1 ID : **4795482477**Option 2 ID : **4795482478**Option 3 ID : **4795482479**Option 4 ID : **4795482480**Status : **Answered**

Chosen Option :

Q.21 According to J.T. Kent too short relief of symptom in acute disease because of :

- (A) Structural change and organs are destroyed
- (B) Very high grade inflammatory action and the organ affected thereby threatened
- (C) There is latent organic condition present
- (D) Weak vital energy

Choose the **correct** answer from the options given below.

- (1) (A) is correct
- (2) (B) is correct
- (3) (C) is correct
- (4) (D) is correct

Options 1. 1

2. 2

3. 3

4. 4



Question Type : **MCQ**

Question ID : **479548720**

Option 1 ID : **4795482877**

Option 2 ID : **4795482878**

Option 3 ID : **4795482879**

Option 4 ID : **4795482880**

Status : **Answered**

Chosen Option :

Q.22 Match **List-I** with **List-II**.

List-I

List-II

- | | |
|---|------------------------------|
| (A) Placenta may develop as separate and nearly equal size discs | (I) Placenta Succenturiata |
| (B) One or more small lobes of placenta, placed at varying distance from the placental margin | (II) Placenta Extrachorialis |
| (C) Such type of placenta is due to smaller chorionic plate than the basal plate | (III) Placenta Bilobate |
| (D) Develop due to missing of central portion of placental disk | (IV) Placenta Fenestrata |

Choose the **correct** answer from the options given below.

- (1) (A)-(II), (B)-(III), (C)-(I), (D)-(IV)
- (2) (A)-(II), (B)-(III), (C)-(IV), (D)-(I)
- (3) (A)-(III), (B)-(II), (C)-(IV), (D)-(I)
- (4) (A)-(I), (B)-(IV), (C)-(II), (D)-(III)



Options 1. 1

2. 2

3. 3

4. 4

Question Type : **MCQ**

Question ID : **479548608**

Option 1 ID : **4795482429**

Option 2 ID : **4795482430**

Option 3 ID : **4795482431**

Option 4 ID : **4795482432**

Status : **Answered**

Chosen Option :

Q.23 Under the Employees State Insurance Act, duration of extended sickness benefit w.e.f. 01.01.2000 is of maximum period of :

- (1) 2 years
- (2) 3 years
- (3) 4 years
- (4) 1 years

Options 1. 1

2. 2

3. 3

4. 4



Question Type : **MCQ**

Question ID : **479548709**

Option 1 ID : **4795482833**

Option 2 ID : **4795482834**

Option 3 ID : **4795482835**

Option 4 ID : **4795482836**

Status : **Answered**

Chosen Option :

- Q.24** Which of the following statements are **correct** ?
- (A) Cold abscess is almost always a sequele of tubercular infection in the body, commonly in the lymph node and bone
 - (B) Basal cell carcinoma is the most common malignant tumour of the eyelids
 - (C) Commonest type of primary malignant tumour of thyroid is follicular carcinoma
 - (D) Mallory weiss tear is a horizontal tear at the gastro-duodenal junction
- Choose the **most appropriate** answer from the options given below.

- (1) (B) and (C) Only
- (2) (A) and (B) Only
- (3) (A) and (D) Only
- (4) (C) and (D) Only

Options 1. 1

2. 2

3. 3

4. 4



Question Type : **MCQ**

Question ID : **479548623**

Option 1 ID : **4795482489**

Option 2 ID : **4795482490**

Option 3 ID : **4795482491**

Option 4 ID : **4795482492**

Status : **Answered**

Chosen Option :

Q.25 Which of the following are correct about Hepatitis B virus ?

- (A) DNA virus
- (B) Incubation period is 10-30 days
- (C) Size of viral particle is 27 nm
- (D) Carrier state is present
- (E) Enveloped virus

Choose the **correct** answer from the options given below.

- (1) (A), (D), (E) Only
- (2) (B), (C), (D) Only
- (3) (A), (C), (E) Only
- (4) (C), (D), (E) Only

Options 1. 1

2. 2

3. 3

4. 4



Question Type : **MCQ**

Question ID : **479548667**

Option 1 ID : **4795482665**

Option 2 ID : **4795482666**

Option 3 ID : **4795482667**

Option 4 ID : **4795482668**

Status : **Answered**

Chosen Option :

Q.26 Which section of the Drug and Cosmetic rule, provides the rules regarding prohibition of quantity and percentage of ethyl alcohol ?

- (1) 106-A
- (2) 106-B
- (3) 126-A
- (4) 85-F

Options 1. 1

2. 2

3. 3

4. 4



Question Type : **MCQ**

Question ID : **479548652**

Option 1 ID : **4795482605**

Option 2 ID : **4795482606**

Option 3 ID : **4795482607**

Option 4 ID : **4795482608**

Status : **Answered**

Chosen Option :

Q.27 How many editions of Allen's Key note has been completed before he died ?

- (1) Three
- (2) Six
- (3) Two
- (4) Four

Options 1. 1

2. 2

3. 3

4. 4



Question Type : **MCQ**

Question ID : **479548672**

Option 1 ID : **4795482685**

Option 2 ID : **4795482686**

Option 3 ID : **4795482687**

Option 4 ID : **4795482688**

Status : **Answered**

Chosen Option :

Q.28 This medicine has a specific place in the treatment of dysentery and the symptoms are worse by food and drink :

- (1) Chelidonium
- (2) Trombidium
- (3) Bromium
- (4) Lithium corb

Options 1. 1

2. 2

3. 3

4. 4



Question Type : **MCQ**

Question ID : **479548674**

Option 1 ID : **4795482693**

Option 2 ID : **4795482694**

Option 3 ID : **4795482695**

Option 4 ID : **4795482696**

Status : **Answered**

Chosen Option :

Q.29 Given below are two statements in relation to XII nerve palsy.

Statement I : Bilateral paralysis of XII nerves results in complete paralysis of the tongue.

Statement II : Speech and swallowing are affected, taste and touch sensations are abnormal.

In the light of the above statements, choose the **correct** answer from the options given below :

- (1) Both **Statement I** and **Statement II** are true
- (2) Both **Statement I** and **Statement II** are false
- (3) **Statement I** is correct but **Statement II** is false
- (4) **Statement I** is incorrect but **Statement II** is true

Options 1. 1

2. 2

3. 3

4. 4



Question Type : **MCQ**

Question ID : **479548627**

Option 1 ID : **4795482505**

Option 2 ID : **4795482506**

Option 3 ID : **4795482507**

Option 4 ID : **4795482508**

Status : **Answered**

Chosen Option :

Q.30 Vital force creates local affection in a chronic disease :

- (A) To diminish the power of internal disease
- (B) To cure the internal disease
- (C) To silence the internal disease for sometime
- (D) In response to antipathic treatment

Choose the **most appropriate** answer from the options given below.

- (1) (A) Only
- (2) (B) Only
- (3) (C) Only
- (4) (D) Only

Options 1. 1

2. 2

3. 3

4. 4



Question Type : **MCQ**

Question ID : **479548610**

Option 1 ID : **4795482437**

Option 2 ID : **4795482438**

Option 3 ID : **4795482439**

Option 4 ID : **4795482440**

Status : **Answered**

Chosen Option :

Q.31

Stellwag's sign is related to :

- (1) Testicular atrophy
- (2) Primary toxic goitre
- (3) Hepatocellular carcinoma
- (4) Appendicular lump

Options 1. 1

2. 2

3. 3

4. 4



Question Type : **MCQ**

Question ID : **479548636**

Option 1 ID : **4795482541**

Option 2 ID : **4795482542**

Option 3 ID : **4795482543**

Option 4 ID : **4795482544**

Status : **Answered**

Chosen Option :

Q.32 Match List-I with List-II.

List-I (Rubrics)	List-II (Chapter in BBCR)
(A) Homesickness	(I) Sensation and Complaints in General
(B) Lumbricoids	(II) Circulation
(C) Ebullition	(III) Mind
(D) Epilepsy	(IV) Stool

Choose the **correct** answer from the options given below :

- (1) (A)-(III), (B)-(II), (C)-(I), (D)-(IV)
- (2) (A)-(III), (B)-(IV), (C)-(I), (D)-(II)
- (3) (A)-(I), (B)-(II), (C)-(IV), (D)-(III)
- (4) (A)-(III), (B)-(IV), (C)-(II), (D)-(I)

Options 1. 1

2. 2

3. 3

4. 4



Question Type : **MCQ**

Question ID : **479548606**

Option 1 ID : **4795482421**

Option 2 ID : **4795482422**

Option 3 ID : **4795482423**

Option 4 ID : **4795482424**

Status : **Answered**

Chosen Option :

Q.33 Arrange the following number of monographs according to their chronological order of publication of Homoeopathic pharmacopoeia of India.

- (A) 114
- (B) 107
- (C) 101
- (D) 104
- (E) 100

Choose the **correct** answer from the options given below :

- (1) (B), (A), (D), (C), (E)
- (2) (E), (B), (A), (D), (C)
- (3) (E), (D), (A), (B), (C)
- (4) (B), (A), (E), (D), (C)

Options 1. 1

2. 2

3. 3

4. 4



Question Type : **MCQ**

Question ID : **479548646**

Option 1 ID : **4795482581**

Option 2 ID : **4795482582**

Option 3 ID : **4795482583**

Option 4 ID : **4795482584**

Status : **Answered**

Chosen Option :

Q.34

Pulsatile liver can be seen in :

- (1) Aortic regurgitation
- (2) Mitral regurgitation
- (3) Tricuspid regurgitation
- (4) Pulmonary regurgitation

Options 1. 1

2. 2

3. 3

4. 4



Question Type : **MCQ**

Question ID : **479548710**

Option 1 ID : **4795482837**

Option 2 ID : **4795482838**

Option 3 ID : **4795482839**

Option 4 ID : **4795482840**

Status : **Answered**

Chosen Option :

Q.35

Length of the bone increases by multiplication of cells at :

- (1) Epiphyseal plate
- (2) Epiphysis
- (3) Diaphysis
- (4) Periosteum

Options 1. 1

2. 2

3. 3

4. 4



Question Type : **MCQ**

Question ID : **479548658**

Option 1 ID : **4795482629**

Option 2 ID : **4795482630**

Option 3 ID : **4795482631**

Option 4 ID : **4795482632**

Status : **Answered**

Chosen Option :

Q.36 Which of the following rubric is not mentioned in the generalities chapter of the Kent's Repertory ?

- (1) Nursing children
- (2) Old people
- (3) Menopause
- (4) Stoop shouldered

Options 1. 1

2. 2

3. 3

4. 4

Question Type : **MCQ**

Question ID : **479548661**

Option 1 ID : **4795482641**

Option 2 ID : **4795482642**

Option 3 ID : **4795482643**

Option 4 ID : **4795482644**

Status : **Answered**

Chosen Option :



Q.37

Lymph capillaries are absent in all except :

- (1) Epidermis
- (2) Dermis
- (3) Bone marrow
- (4) Articular cartilage

Options 1. 1

2. 2

3. 3

4. 4



Question Type : **MCQ**

Question ID : **479548626**

Option 1 ID : **4795482501**

Option 2 ID : **4795482502**

Option 3 ID : **4795482503**

Option 4 ID : **4795482504**

Status : **Answered**

Chosen Option :

Q.38 Match List-I with List-II.

List-I (Disease)	List-II (Antibodies)
(A) Post infectious glomerulonephritis	(I) ANA
(B) Good pasture's syndrome	(II) ASOT
(C) Small vessel vasculitis	(III) Anti GBM antibody
(D) SLE	(IV) p-ANCA

Choose the **correct** answer from the options given below :

- (1) (A)-(IV), (B)-(III), (C)-(I), (D)-(II)
- (2) (A)-(II), (B)-(III), (C)-(IV), (D)-(I)
- (3) (A)-(I), (B)-(III), (C)-(II), (D)-(IV)
- (4) (A)-(I), (B)-(III), (C)-(IV), (D)-(II)

Options 1. 1

2. 2

3. 3

4. 4



Question Type : **MCQ**

Question ID : **479548700**

Option 1 ID : **4795482797**

Option 2 ID : **4795482798**

Option 3 ID : **4795482799**

Option 4 ID : **4795482800**

Status : **Answered**

Chosen Option :

Q.39 Which of the following pulmonary function test findings are found during an acute episode of bronchial asthma ?

- (A) ↓ Peak Expiratory Flow Rate (PEFR)
- (B) ↓ FEV₁
- (C) ↑ FEV₁/FVC Ratio
- (D) ↓ FEV₁/FVC Ratio

Choose the **correct** answer from the options given below.

- (1) (A), (B) and (C) Only
- (2) (A) and (C) Only
- (3) (B) and (C) Only
- (4) (A), (B) and (D) Only

Options 1. 1

2. 2

3. 3

4. 4



Question Type : **MCQ**

Question ID : **479548693**

Option 1 ID : **4795482769**

Option 2 ID : **4795482770**

Option 3 ID : **4795482771**

Option 4 ID : **4795482772**

Status : **Answered**

Chosen Option :

Q.40 The medicine for "Dissecting wounds, insect stings, bad effect of vaccination is :

- (1) Silicea
- (2) Thuja Occidentalis
- (3) Crotalus horridus
- (4) Antim tartaricum

Options 1. 1

2. 2

3. 3

4. 4



Question Type : **MCQ**

Question ID : **479548677**

Option 1 ID : **4795482705**

Option 2 ID : **4795482706**

Option 3 ID : **4795482707**

Option 4 ID : **4795482708**

Status : **Answered**

Chosen Option :

Q.41 Distinct consciousness of heart, it feels tired as if enlarged, pulsating constant in ears preventing sleep are the symptoms of which medicine ?

- (1) Pyrogen
- (2) Natrum Muriaticum
- (3) Gelsemium
- (4) Digitalis purpurea

Options 1. 1

2. 2

3. 3

4. 4



Question Type : **MCQ**

Question ID : **479548678**

Option 1 ID : **4795482709**

Option 2 ID : **4795482710**

Option 3 ID : **4795482711**

Option 4 ID : **4795482712**

Status : **Answered**

Chosen Option :

Q.42 Which of the following repertory in which abdomen is mentioned as the first chapter ?

- (1) A synoptic key of the materia medica
- (2) Synthetic repertory by barthal and klunker
- (3) Repertory of hering guiding symptoms of aur materia medica by knerr
- (4) A concise repertory of homoeopathic medicines by S.R. Phatak

Options 1. 1

2. 2

3. 3

4. 4

Question Type : **MCQ**

Question ID : **479548648**

Option 1 ID : **4795482589**

Option 2 ID : **4795482590**

Option 3 ID : **4795482591**

Option 4 ID : **4795482592**

Status : **Answered**

Chosen Option :



Q.43 Which of the following nosodes have a predominantly haemorrhagic tendency ?

- (1) Elaps corallinus
- (2) Bovista lycoperdon
- (3) Secale cornutum
- (4) Lachesis

Options

- 1. 1
- 2. 2
- 3. 3
- 4. 4



Question Type : **MCQ**

Question ID : **479548669**

Option 1 ID : **4795482673**

Option 2 ID : **4795482674**

Option 3 ID : **4795482675**

Option 4 ID : **4795482676**

Status : **Answered**

Chosen Option :

Q.44 Which of the following rubric is **not** given in section of face of Boenninghausens therapeutic Pocket Book ?

- (1) Comedones
- (2) Yellow saddle across upper part of the cheeks and nose
- (3) Drawn
- (4) Parotid gland

Options 1. 1

2. 2

3. 3

4. 4



Question Type : **MCQ**

Question ID : **479548643**

Option 1 ID : **4795482569**

Option 2 ID : **4795482570**

Option 3 ID : **4795482571**

Option 4 ID : **4795482572**

Status : **Answered**

Chosen Option :

Q.45 Alternating diseases are chronic diseases, caused by :

- (1) Psora
- (2) Psora alone or sometime complicated with syphilitic miasm
- (3) Psora alone or sometime complicated with sycotic miasm
- (4) Psora alone or complicated with syphilitic and sycotic miasm

Options 1. 1

2. 2

3. 3

4. 4



Question Type : **MCQ**

Question ID : **479548718**

Option 1 ID : **4795482869**

Option 2 ID : **4795482870**

Option 3 ID : **4795482871**

Option 4 ID : **4795482872**

Status : **Answered**

Chosen Option :

- Q.46** Treatment followed in mental disease resulting from corporeal maladies, will be :
- (A) Sensible advice
 - (B) Psychical remedies i.e. display of confidence friendly exhortations along with appropriate diet and regime
 - (C) Acute non-antipsoric medicines followed by antipsoric medicine
 - (D) Anti psoric medicine, regulated mode of life along with auxillary mental regime
- Choose the **most appropriate** answer from the options given below.

- (1) (A) Only
- (2) (B) Only
- (3) (C) Only
- (4) (D) Only

Options 1. 1

2. 2

3. 3

4. 4



Question Type : **MCQ**

Question ID : **479548697**

Option 1 ID : **4795482785**

Option 2 ID : **4795482786**

Option 3 ID : **4795482787**

Option 4 ID : **4795482788**

Status : **Answered**

Chosen Option :

Q.47 Who among the following first saw the necessity of proving medicine on healthy human being ?

- (1) Hahnemann
- (2) Brousseau
- (3) Albrecht von Haller
- (4) Gresselich

Options 1. 1

2. 2

3. 3

4. 4

Question Type : **MCQ**

Question ID : **479548682**

Option 1 ID : **4795482725**

Option 2 ID : **4795482726**

Option 3 ID : **4795482727**

Option 4 ID : **4795482728**

Status : **Answered**

Chosen Option :



Q.48 Linitis plastica is a pattern of which of the following condition ?

- (1) Acute gastritis
- (2) Gastric carcinoma
- (3) Chronic gastritis
- (4) Gastric polyp

Options 1. 1

2. 2

3. 3

4. 4



Question Type : **MCQ**

Question ID : **479548650**

Option 1 ID : **4795482597**

Option 2 ID : **4795482598**

Option 3 ID : **4795482599**

Option 4 ID : **4795482600**

Status : **Answered**

Chosen Option :

Q.49 The dietary factor which is not associated with increased risk of nephrolithiasis is :

- (1) Animal protein
- (2) Oxalate
- (3) Sodium
- (4) Phytate

Options 1. 1

2. 2

3. 3

4. 4

Question Type : **MCQ**

Question ID : **479548695**

Option 1 ID : **4795482777**

Option 2 ID : **4795482778**

Option 3 ID : **4795482779**

Option 4 ID : **4795482780**

Status : **Answered**

Chosen Option :



Q.50 What is the disadvantage of external application of homoeopathy medicine along with internal dose of medicine as given in V edition of organon of medicine.

- (A) Many new symptoms appear after the disappearance of original symptom
- (B) Local symptoms will disappear sooner than the internal disease
- (C) Duration of treatment will be prolonged due to slow recovery
- (D) Difficulty in deciding potency and dose of medicine

Choose the **most appropriate** answer from the options given below :

- (1) (A) Only
- (2) (B) Only
- (3) (C) Only
- (4) (D) Only

Options 1. 1

2. 2

3. 3

4. 4



Question Type : **MCQ**

Question ID : **479548715**

Option 1 ID : **4795482857**

Option 2 ID : **4795482858**

Option 3 ID : **4795482859**

Option 4 ID : **4795482860**

Status : **Answered**

Chosen Option :

Q.51 As per World Health Organization, which of the following DXA scan findings qualifies as the definition of osteoporosis ?

- (1) T-Score < -0.5 in lumbar spine
- (2) T-Score < -1.0 in lumbar spine
- (3) T-Score < -1.5 in lumbar spine
- (4) T-Score < -2.5 in lumbar spine

Options 1. 1

2. 2

3. 3

4. 4



Question Type : **MCQ**

Question ID : **479548714**

Option 1 ID : **4795482853**

Option 2 ID : **4795482854**

Option 3 ID : **4795482855**

Option 4 ID : **4795482856**

Status : **Answered**

Chosen Option : --

Q.52

80% alcohol concentration is equal to :

- (1) 60° O.P
- (2) 50° O.P
- (3) 40° O.P
- (4) 30° O.P

Options 1. 1

2. 2

3. 3

4. 4



Question Type : **MCQ**

Question ID : **479548655**

Option 1 ID : **4795482617**

Option 2 ID : **4795482618**

Option 3 ID : **4795482619**

Option 4 ID : **4795482620**

Status : **Answered**

Chosen Option :

Q.53 For prevention of heat related illness, among athletes, the most effective approach to mitigate the rise in core temperature is :

- (1) Fluid ingestion
- (2) Wetting the body
- (3) Fanning the body
- (4) Uncovering the body

Options 1. 1

2. 2

3. 3

4. 4



Question Type : **MCQ**

Question ID : **479548703**

Option 1 ID : **4795482809**

Option 2 ID : **4795482810**

Option 3 ID : **4795482811**

Option 4 ID : **4795482812**

Status : **Answered**

Chosen Option :

Q.54 If one child receives all the doses of Vitamin A as per National Immunization Schedule since birth till 5 years of age, he/she will receive total Vitamin A of :

- (1) 15 ml
- (2) 16 ml
- (3) 17 ml
- (4) 18 ml

Options 1. 1

2. 2

3. 3

4. 4



Question Type : **MCQ**

Question ID : **479548702**

Option 1 ID : **4795482805**

Option 2 ID : **4795482806**

Option 3 ID : **4795482807**

Option 4 ID : **4795482808**

Status : **Answered**

Chosen Option :

Q.55 Subarachnoid space extend up to the lower border of which vertebra ?

- (1) 2nd lumbar
- (2) 3rd lumbar
- (3) 2nd sacral
- (4) 1st sacral

Options 1. 1

2. 2

3. 3

4. 4



Question Type : **MCQ**

Question ID : **479548629**

Option 1 ID : **4795482513**

Option 2 ID : **4795482514**

Option 3 ID : **4795482515**

Option 4 ID : **4795482516**

Status : **Answered**

Chosen Option :

Q.56 'Tendo Achilles' is mentioned in which of the following section of TPB ?

- (1) Lower extremities
- (2) Sensation
- (3) Skin
- (4) Aggravation

Options 1. 1

2. 2

3. 3

4. 4



Question Type : **MCQ**

Question ID : **479548617**

Option 1 ID : **4795482465**

Option 2 ID : **4795482466**

Option 3 ID : **4795482467**

Option 4 ID : **4795482468**

Status : **Answered**

Chosen Option :

Q.57 Hormones that use receptor tyrosine kinase signalling :

- (1) Leptin
- (2) HCG
- (3) GnRH
- (4) Glucagon

Options 1. 1
2. 2
3. 3
4. 4



Question Type : **MCQ**

Question ID : **479548631**

Option 1 ID : **4795482521**

Option 2 ID : **4795482522**

Option 3 ID : **4795482523**

Option 4 ID : **4795482524**

Status : **Answered**

Chosen Option :

Q.58 In BPCR under the “Aggravation and Amelioration in general” chapter, which of the following rubrics is mentioned ?

- (A) Influenza
- (B) Uric acid diathesis
- (C) Haemophilia
- (D) Anaemia

Choose the **most appropriate** answer from the options given below.

- (1) (A) Only
- (2) (B) Only
- (3) (C) Only
- (4) (D) Only

Options 1. 1

2. 2

3. 3

4. 4



Question Type : **MCQ**

Question ID : **479548611**

Option 1 ID : **4795482441**

Option 2 ID : **4795482442**

Option 3 ID : **4795482443**

Option 4 ID : **4795482444**

Status : **Answered**

Chosen Option :

Q.59 The artery commonly injured in extradural haemorrhage is :

- (1) Brachial artery
- (2) Middle meningeal artery
- (3) Carotid artery
- (4) Lenticulo striate artery

Options 1. 1

2. 2

3. 3

4. 4



Question Type : **MCQ**

Question ID : **479548688**

Option 1 ID : **4795482749**

Option 2 ID : **4795482750**

Option 3 ID : **4795482751**

Option 4 ID : **4795482752**

Status : **Answered**

Chosen Option :

Q.60 There are small, bilaterally compressed, wingless insects with hard chitinous exoskeleton and covered with backwardly directed strong bristles. This are the features of which vector ?

- (1) Sand flea
- (2) Fleas
- (3) Tsetse flies
- (4) Ticks

Options 1. 1

2. 2

3. 3

4. 4



Question Type : **MCQ**

Question ID : **479548616**

Option 1 ID : **4795482461**

Option 2 ID : **4795482462**

Option 3 ID : **4795482463**

Option 4 ID : **4795482464**

Status : **Answered**

Chosen Option :

Q.61 The most prolific source of all the innumerable named or unnamed chronic maladies under which mankind groans is :

- (1) Psora
- (2) Sycosis
- (3) Syphilis
- (4) External mode of treatment

Options 1. 1

2. 2

3. 3

4. 4



Question Type : **MCQ**

Question ID : **479548683**

Option 1 ID : **4795482729**

Option 2 ID : **4795482730**

Option 3 ID : **4795482731**

Option 4 ID : **4795482732**

Status : **Answered**

Chosen Option :

Q.62 Match List-I with List-II.

List-I

- (A) Wilm's Tumour
- (B) Fibro-adenoma of breast
- (C) Serocystic disease of Brodie
- (D) Cystic hygroma

List-II

- (I) Congenital lymphangioma
- (II) Floating tumour
- (III) Nephroblastoma
- (IV) Cystosarcoma phylloides

Choose the **correct** answer from the options given below :

- (1) (A)-(III), (B)-(II), (C)-(IV), (D)-(I)
- (2) (A)-(I), (B)-(II), (C)-(IV), (D)-(III)
- (3) (A)-(II), (B)-(III), (C)-(I), (D)-(IV)
- (4) (A)-(IV), (B)-(I), (C)-(III), (D)-(II)

Options 1. 1

2. 2

3. 3

4. 4



Question Type : **MCQ**

Question ID : **479548625**

Option 1 ID : **4795482497**

Option 2 ID : **4795482498**

Option 3 ID : **4795482499**

Option 4 ID : **4795482500**

Status : **Answered**

Chosen Option :

Q.63 When the total weight of the drugs to be sampled is less than 10 kg, the final official sample weigh less than :

- (1) 500 g
- (2) 250 g
- (3) 125 g
- (4) 100 g

Options 1. 1

2. 2

3. 3

4. 4



Question Type : **MCQ**

Question ID : **479548645**

Option 1 ID : **4795482577**

Option 2 ID : **4795482578**

Option 3 ID : **4795482579**

Option 4 ID : **4795482580**

Status : **Answered**

Chosen Option :

Q.64 In Kent's Repertory, the cross reference given for the rubric 'Resolute' is :

- (1) Remorse
- (2) Repulsive
- (3) Courageous
- (4) Careless

Options 1. 1

2. 2

3. 3

4. 4



Question Type : **MCQ**

Question ID : **479548653**

Option 1 ID : **4795482609**

Option 2 ID : **4795482610**

Option 3 ID : **4795482611**

Option 4 ID : **4795482612**

Status : **Answered**

Chosen Option :

Q.65 Following homoeopathic drugs are prepared under class V-A of old Hahnemanian method except :

- (1) Acidum aceticum
- (2) Ammonium muriaticum
- (3) Acidum benzoicum
- (4) Argentum nitricum

Options 1. 1

2. 2

3. 3

4. 4

Question Type : **MCQ**

Question ID : **479548654**

Option 1 ID : **4795482613**

Option 2 ID : **4795482614**

Option 3 ID : **4795482615**

Option 4 ID : **4795482616**

Status : **Answered**

Chosen Option :



Q.66 Which of the following is not a long term risk of PCOS patients ?

- (1) Diabetes mellitus
- (2) Dyslipidemia
- (3) Hypertension
- (4) Miscarriage

Options 1. 1

2. 2

3. 3

4. 4



Question Type : **MCQ**

Question ID : **479548607**

Option 1 ID : **4795482425**

Option 2 ID : **4795482426**

Option 3 ID : **4795482427**

Option 4 ID : **4795482428**

Status : **Answered**

Chosen Option :

Q.67 Which among the following is false regarding Homoeopathic aggravation in acute/chronic disease ?

- (A) Slight aggravation is always seen even when very small dose given owing to superior power of medicine
- (B) Homoeopathic aggravation is seen in first few hours after the administration of medicine in acute as well as chronic disease
- (C) Slight aggravation is a good prognostic feature in acute disease
- (D) Smaller the dose lesser will be the aggravation

Choose the **most appropriate** answer from the options given below.

- (1) (A) Only
- (2) (B) Only
- (3) (C) Only
- (4) (D) Only

Options 1. 1

2. 2

3. 3

4. 4



Question Type : **MCQ**

Question ID : **479548614**

Option 1 ID : **4795482453**

Option 2 ID : **4795482454**

Option 3 ID : **4795482455**

Option 4 ID : **4795482456**

Status : **Answered**

Chosen Option :

Q.68 Given below are two statements.

Statement I : Rattle snake mille wort is the common name of Ruta graveolens.

Statement II : Alum roots is the common name of senega.

In the light of the above statements, choose the **most appropriate** answer from the options given below :

- (1) Both **Statement I** and **Statement II** are correct
- (2) Both **Statement I** and **Statement II** are incorrect
- (3) **Statement I** is correct but **Statement II** is incorrect
- (4) **Statement I** is incorrect but **Statement II** is correct

Options 1. 1

2. 2

3. 3

4. 4



Question Type : **MCQ**

Question ID : **479548656**

Option 1 ID : **4795482621**

Option 2 ID : **4795482622**

Option 3 ID : **4795482623**

Option 4 ID : **4795482624**

Status : **Answered**

Chosen Option :

Q.69 A victim of road accident was brought to the emergency in the following state - the patient was semiconscious, tossing in bed and fearful of being touched. Head was hot with cold body. The most likely indicated medicine is :

- (1) Arsenicum album
- (2) Aconite napellus
- (3) Arnica montana
- (4) Rhus toxicodendron

Options 1. 1

2. 2

3. 3

4. 4



Question Type : **MCQ**

Question ID : **479548671**

Option 1 ID : **4795482681**

Option 2 ID : **4795482682**

Option 3 ID : **4795482683**

Option 4 ID : **4795482684**

Status : **Answered**

Chosen Option :

Q.70 Match List-I with List-II.

List-I	List-II
(A) Nischay	(I) Oral contraceptive pill centchroman
(B) Antara programme	(II) Home based pregnancy test kits
(C) Chhaya	(III) Third generation IUDs
(D) Progestasert	(IV) Contraceptive injectable MPA

Choose the **correct** answer from the options given below :

- (1) (A)-(IV), (B)-(II), (C)-(I), (D)-(III)
- (2) (A)-(III), (B)-(I), (C)-(IV), (D)-(II)
- (3) (A)-(II), (B)-(IV), (C)-(I), (D)-(III)
- (4) (A)-(II), (B)-(I), (C)-(IV), (D)-(III)

Options 1. 1

2. 2

3. 3

4. 4



Question Type : **MCQ**

Question ID : **479548701**

Option 1 ID : **4795482801**

Option 2 ID : **4795482802**

Option 3 ID : **4795482803**

Option 4 ID : **4795482804**

Status : **Answered**

Chosen Option :

Q.71 Those medicines with alternating action when first dose does not act, even after being similimum, what should be the future course of treatment ?

- (A) Give a dose slightly increase potency
- (B) Give a complimentary medicine
- (C) Wait without giving medicine for sometime
- (D) Give another equally small dose of same medicine

Choose the **most appropriate** answer from the options given below.

- (1) (A) Only
- (2) (B) Only
- (3) (C) Only
- (4) (D) Only

Options 1. 1

2. 2

3. 3

4. 4



Question Type : **MCQ**

Question ID : **479548685**

Option 1 ID : **4795482737**

Option 2 ID : **4795482738**

Option 3 ID : **4795482739**

Option 4 ID : **4795482740**

Status : **Answered**

Chosen Option :

Q.72 Given below are two statements :

Statement (I) : Primary hyperparathyroidism is the most likely diagnosis if parathyroid hormone level is elevated in the presence of hypercalcaemia.

Statement (II) : Familial hypocalciuric hypercalcaemia (FHH) can have similar biochemical picture to primary hyperparathyroidism but typically have low urine calcium excretion.

In the light of the above statements, choose the **correct** answer from the options given below :

- (1) **Statement (I)** and **Statement (II)** are correct
- (2) **Statement (I)** and **Statement (II)** are false
- (3) **Statement (I)** is correct but **Statement (II)** is false
- (4) **Statement (I)** is incorrect but **Statement (II)** is true

Options 1. 1

2. 2

3. 3

4. 4



Question Type : **MCQ**

Question ID : **479548708**

Option 1 ID : **4795482829**

Option 2 ID : **4795482830**

Option 3 ID : **4795482831**

Option 4 ID : **4795482832**

Status : **Answered**

Chosen Option :

Q.73 The Apparent symptom caused by excess of homoeopathic medicine will soon disappears when medicine is discontinued is called :

- (1) Drug dyscrasia
- (2) Secondary symptom
- (3) Schein symptom
- (4) Physiological symptom

Options 1. 1

2. 2

3. 3

4. 4



Question Type : **MCQ**

Question ID : **479548659**

Option 1 ID : **4795482633**

Option 2 ID : **4795482634**

Option 3 ID : **4795482635**

Option 4 ID : **4795482636**

Status : **Answered**

Chosen Option :

Q.74 Early features of cholestasis :

- (A) Xanthelasma
- (B) Dark urine
- (C) Pale stools
- (D) Pruritus
- (E) Xanthomas

Choose the **correct** answer from the options given below :

- (1) (E), (C), (D) Only
- (2) (A), (B), (E) Only
- (3) (C), (A), (E) Only
- (4) (B), (C), (D) Only

Options 1. 1

2. 2

3. 3

4. 4



Question Type : **MCQ**

Question ID : **479548699**

Option 1 ID : **4795482793**

Option 2 ID : **4795482794**

Option 3 ID : **4795482795**

Option 4 ID : **4795482796**

Status : **Answered**

Chosen Option :

Q.75 Cauda equina syndrome includes :

- (A) Difficulty with micturition
- (B) Saddle anaesthesia
- (C) Normal gait
- (D) Loss of anal sphincter tone or faecal incontinence

Choose the **most appropriate** answer from the options given below.

- (1) (A), (B), (D) Only
- (2) (A), (B), (C) Only
- (3) (A) and (B) Only
- (4) (A) and (D) Only

Options 1. 1

2. 2

3. 3

4. 4



Question Type : **MCQ**

Question ID : **479548691**

Option 1 ID : **4795482761**

Option 2 ID : **4795482762**

Option 3 ID : **4795482763**

Option 4 ID : **4795482764**

Status : **Answered**

Chosen Option :

Q.76

Alcohol was first used for preparation of medicine by :

- (1) Persians
- (2) Russians
- (3) Hahnemann
- (4) Buchholz

Options 1. 1

2. 2

3. 3

4. 4



Question Type : **MCQ**

Question ID : **479548681**

Option 1 ID : **4795482721**

Option 2 ID : **4795482722**

Option 3 ID : **4795482723**

Option 4 ID : **4795482724**

Status : **Answered**

Chosen Option :

Q.77 Paracentesis thoracis is usually done in which space of the mid axillary line ?

- (1) 5th intercostal
- (2) 6th intercostal
- (3) 7th intercostal
- (4) 8th intercostal

Options 1. 1

2. 2

3. 3

4. 4



Question Type : **MCQ**

Question ID : **479548640**

Option 1 ID : **4795482557**

Option 2 ID : **4795482558**

Option 3 ID : **4795482559**

Option 4 ID : **4795482560**

Status : **Answered**

Chosen Option :

- Q.78** Which of the following statements are **correct** ?
- (A) Chalazion is a chronic granulomatous inflammation of a meibomian gland
 - (B) Retinoblastoma is associated with mutations in BRCA gene
 - (C) Vernal conjunctivitis is a form of viral conjunctivitis usually aggravated in rainy season
 - (D) Acute angle closure glaucoma usually occurs in older, often hypermetropic patients
 - (E) Blood in the anterior chamber of eye is called 'Hyphaema'

Choose the **correct** answer from the options given below :

- (1) (A), (D) and (E) Only
- (2) (B), (D) and (E) Only
- (3) (A), (B) and (C) Only
- (4) (A), (C) and (D) Only

Options 1. 1

2. 2

3. 3

4. 4



Question Type : **MCQ**

Question ID : **479548624**

Option 1 ID : **4795482493**

Option 2 ID : **4795482494**

Option 3 ID : **4795482495**

Option 4 ID : **4795482496**

Status : **Answered**

Chosen Option :

Q.79 Given below are two statements : One is labelled as **Assertion (A)** and the other is labelled as **Reason (R)**.

Assertion (A) : Estimation of Serum Prostate Specific Antigen (PSA) is done in suspected prostate cancer cases.

Reason (R) : In prostate cancer only the PSA level is high. So this test is the confirmatory test. In the light of the above statements, choose the **most appropriate** answer from the options given below.

- (1) Both **(A)** and **(R)** are correct and **(R)** is the correct explanation of **(A)**
- (2) Both **(A)** and **(R)** are correct but **(R)** is NOT the correct explanation of **(A)**
- (3) **(A)** is correct but **(R)** is not correct
- (4) **(A)** is not correct but **(R)** is correct

Options

- 1. 1
- 2. 2
- 3. 3
- 4. 4



Question Type : **MCQ**

Question ID : **479548633**

Option 1 ID : **4795482529**

Option 2 ID : **4795482530**

Option 3 ID : **4795482531**

Option 4 ID : **4795482532**

Status : **Answered**

Chosen Option :

Q.80 Howell - Jolly bodies are seen in which of the following condition ?

- (1) Post-splenectomy
- (2) Liver disease
- (3) Thalassaemias
- (4) Microangiopathy

Options 1. 1

2. 2

3. 3

4. 4



Question Type : **MCQ**

Question ID : **479548666**

Option 1 ID : **4795482661**

Option 2 ID : **4795482662**

Option 3 ID : **4795482663**

Option 4 ID : **4795482664**

Status : **Answered**

Chosen Option :

Q.81

Hunner's ulcer is :

- (1) Alkaline encrusting cystitis
- (2) Acute haemorrhagic cystitis
- (3) Cystitis cystica
- (4) Interstitial cystitis

Options 1. 1

2. 2

3. 3

4. 4

Question Type : **MCQ**Question ID : **479548639**Option 1 ID : **4795482553**Option 2 ID : **4795482554**Option 3 ID : **4795482555**Option 4 ID : **4795482556**Status : **Answered**

Chosen Option :

Q.82 The range of firing at which there is no burning, blackening or tattooing except producing a round hole, four or five cm in diameter for all gauges and all chokes :

- (1) Between 30 cm to one metre
- (2) Between 60 cm to 90 cm
- (3) Between 1 to 2 metres
- (4) Between 2 to 4 metres

Options 1. 1

2. 2

3. 3

4. 4



Question Type : **MCQ**

Question ID : **479548690**

Option 1 ID : **4795482757**

Option 2 ID : **4795482758**

Option 3 ID : **4795482759**

Option 4 ID : **4795482760**

Status : **Answered**

Chosen Option :

Q.83 Match List-I with List-II.

List-I

- (A) Scala vestibuli and scala media
are separated from each other by
- (B) Scala tympani and scala media
are separated from each other by
- (C) Bony labyrinth and membranous
labyrinth
- (D) Oval window and round window

List-II

- (I) Middle Ear
- (II) Reissner membrane
- (III) Basilar membrane
- (IV) Inner Ear

Choose the **correct** answer from the options given below.

- (1) (A)-(I), (B)-(II), (C)-(III), (D)-(IV)
- (2) (A)-(IV), (B)-(II), (C)-(III), (D)-(I)
- (3) (A)-(II), (B)-(III), (C)-(IV), (D)-(I)
- (4) (A)-(III), (B)-(II), (C)-(I), (D)-(IV)



Options 1. 1

2. 2

3. 3

4. 4

Question Type : **MCQ**

Question ID : **479548638**

Option 1 ID : **4795482549**

Option 2 ID : **4795482550**

Option 3 ID : **4795482551**

Option 4 ID : **4795482552**

Status : **Answered**

Chosen Option : --

Q.84 Contradictory characteristics of this medicine are mania and melancholia; insomnia and sopor.

- (1) Cinchona
- (2) Ipecacuanha
- (3) Veratrum album
- (4) Tuberculinum

Options 1. 1

2. 2

3. 3

4. 4

Question Type : **MCQ**

Question ID : **479548675**

Option 1 ID : **4795482697**

Option 2 ID : **4795482698**

Option 3 ID : **4795482699**

Option 4 ID : **4795482700**

Status : **Answered**

Chosen Option :



Q.85 The only diameter which can be measured by intravaginal finger examination :

- (1) Diagonal Conjugate
- (2) Obstetric Conjugate
- (3) Transverse diameter of pelvic outlet
- (4) Transverse diameter of Brim

Options

- 1. 1
- 2. 2
- 3. 3
- 4. 4



Question Type : **MCQ**

Question ID : **479548618**

Option 1 ID : **4795482469**

Option 2 ID : **4795482470**

Option 3 ID : **4795482471**

Option 4 ID : **4795482472**

Status : **Answered**

Chosen Option :

Q.86 The correct sequence of ocular changes seen in Diabetic retinopathy is :

- (A) Neovascularization
- (B) Retinal ischemia
- (C) Micro aneurysms
- (D) Retinal detachment

Choose the **correct** answer from the options given below.

- (1) (A), (B), (C), (D)
- (2) (C), (A), (B), (D)
- (3) (C), (B), (A), (D)
- (4) (A), (C), (B), (D)

Options 1. 1

2. 2

3. 3

4. 4



Question Type : **MCQ**

Question ID : **479548712**

Option 1 ID : **4795482845**

Option 2 ID : **4795482846**

Option 3 ID : **4795482847**

Option 4 ID : **4795482848**

Status : **Answered**

Chosen Option :

Q.87 Which of the following chromosomal anomaly is commonly found in klinefelter syndrome ?

- (1) Trisomy 21
- (2) 45 XO
- (3) 47 XXY
- (4) Philadelphia chromosome

Options

- 1. 1
- 2. 2
- 3. 3
- 4. 4

Question Type : **MCQ**

Question ID : **479548649**

Option 1 ID : **4795482593**

Option 2 ID : **4795482594**

Option 3 ID : **4795482595**

Option 4 ID : **4795482596**

Status : **Answered**

Chosen Option :



Q.88 Select the most appropriate medicine for the following symptoms.
Violent neuralgia about face and teeth, running towards ear, at night, worse eating, better near hot stove

- (1) Merc Sol.
- (2) Spigelia
- (3) Mag-phos
- (4) Mezereum

Options 1. 1

2. 2

3. 3

4. 4



Question Type : **MCQ**

Question ID : **479548676**

Option 1 ID : **4795482701**

Option 2 ID : **4795482702**

Option 3 ID : **4795482703**

Option 4 ID : **4795482704**

Status : **Answered**

Chosen Option :

Q.89

Torsion of ovary most commonly seen in :

- (1) Granulosa cell tumour
- (2) Dermoid cyst
- (3) Yolk sac tumour
- (4) Dysgerminoma

Options 1. 1

2. 2

3. 3

4. 4



Question Type : **MCQ**

Question ID : **479548622**

Option 1 ID : **4795482485**

Option 2 ID : **4795482486**

Option 3 ID : **4795482487**

Option 4 ID : **4795482488**

Status : **Answered**

Chosen Option :

Q.90

Lanolin has following properties.

- (A) Melting point 36-42°C
- (B) Contain not more than 2.5% of water
- (C) Melting point 42-50°C
- (D) Contain not more than 0.25% of water
- (E) Freely soluble in solvent ether and chloroform

Choose the **correct** answer from the options given below :

- (1) (B), (C) and (E) Only
- (2) (A), (D) and (E) Only
- (3) (C), (D) and (E) Only
- (4) (A), (B) and (E) Only

Options 1. 1

2. 2

3. 3

4. 4



Question Type : **MCQ**

Question ID : **479548657**

Option 1 ID : **4795482625**

Option 2 ID : **4795482626**

Option 3 ID : **4795482627**

Option 4 ID : **4795482628**

Status :

Chosen Option : -

Q.91 The advise “avoid to take milk” should be given to patient while prescribing which among the following medicines ?

- (1) Iodine
- (2) Bromine
- (3) Fluoric acid
- (4) Rhus tox

Options 1. 1

2. 2

3. 3

4. 4



Question Type : **MCQ**

Question ID : **479548707**

Option 1 ID : **4795482825**

Option 2 ID : **4795482826**

Option 3 ID : **4795482827**

Option 4 ID : **4795482828**

Status : **Answered**

Chosen Option :

Q.92 The most common clinical sign encountered in cases of symptomatic haemochromatosis is :

- (1) Hepatomegaly
- (2) Esophageal varices
- (3) Metallic pigmentation of skin
- (4) Arthropathy

Options 1. 1

2. 2

3. 3

4. 4

Question Type : **MCQ**

Question ID : **479548680**

Option 1 ID : **4795482717**

Option 2 ID : **4795482718**

Option 3 ID : **4795482719**

Option 4 ID : **4795482720**

Status : **Answered**

Chosen Option :



Q.93 Match **List-I** with **List-II** Tests to detect poisons.

List-I	List-II
(A) Arsenic	(I) Marquis test
(B) Hydrocyanic acid	(II) Kunkel's test
(C) Opium	(III) Atomic absorption spectroscopy
(D) Carbon monoxide	(IV) Lee-Jones test

Choose the **correct** answer from the options given below.

- (1) (A)-(I), (B)-(III), (C)-(IV), (D)-(II)
- (2) (A)-(III), (B)-(I), (C)-(II), (D)-(IV)
- (3) (A)-(IV), (B)-(II), (C)-(III), (D)-(I)
- (4) (A)-(III), (B)-(IV), (C)-(I), (D)-(II)

Options 1. 1

2. 2

3. 3

4. 4



Question Type : **MCQ**

Question ID : **479548689**

Option 1 ID : **4795482753**

Option 2 ID : **4795482754**

Option 3 ID : **4795482755**

Option 4 ID : **4795482756**

Status : **Answered**

Chosen Option :

Q.94 The following are Epithelial ovarian tumour :

- (A) Serous tumour
- (B) Mucinous cyst adenoma
- (C) Brenner tumours
- (D) Choriocarcinoma

Choose the **most appropriate** answer from the options given below.

- (1) (A), (C), (D) Only
- (2) (A), (B) Only
- (3) (A), (B), (C) Only
- (4) (B), (C), (D) Only

Options 1. 1

2. 2

3. 3

4. 4



Question Type : **MCQ**

Question ID : **479548615**

Option 1 ID : **4795482457**

Option 2 ID : **4795482458**

Option 3 ID : **4795482459**

Option 4 ID : **4795482460**

Status : **Answered**

Chosen Option :

Q.95

Bazin's disease is :

- (1) Erythrocyanoid ulcer
- (2) Martorell's ulcer
- (3) Meleney's ulcer
- (4) Tropical ulcer

Options 1. 1

2. 2

3. 3

4. 4

Question Type : **MCQ**Question ID : **479548621**Option 1 ID : **4795482481**Option 2 ID : **4795482482**Option 3 ID : **4795482483**Option 4 ID : **4795482484**Status : **Answered**

Chosen Option : -

Q.96

Commonest position in vertex presentation is :

- (1) LOA
- (2) LOP
- (3) ROA
- (4) ROP

Options 1. 1

2. 2

3. 3

4. 4



Question Type : **MCQ**

Question ID : **479548605**

Option 1 ID : **4795482417**

Option 2 ID : **4795482418**

Option 3 ID : **4795482419**

Option 4 ID : **4795482420**

Status : **Answered**

Chosen Option :

Q.97

Match List-I with List-II.

List-I	List-II
(A) Curie	(I) Sievert [Sv]
(B) Roentgen	(II) Gray [Gy]
(C) Rad	(III) Becquerel [Bq]
(D) Rem	(IV) Coulomb per kilogram [C/kg]

Choose the **correct** answer from the options given below :

- (1) (A)-(III), (B)-(IV), (C)-(I), (D)-(II)
- (2) (A)-(IV), (B)-(III), (C)-(II), (D)-(I)
- (3) (A)-(III), (B)-(IV), (C)-(II), (D)-(I)
- (4) (A)-(II), (B)-(I), (C)-(IV), (D)-(III)

Options 1. 1

2. 2

3. 3

4. 4



Question Type : MCQ

Question ID : 479548619

Option 1 ID : 4795482473

Option 2 ID : 4795482474

Option 3 ID : 4795482475

Option 4 ID : 4795482476

Status : Answered

Chosen Option :

Q.98 In context to generalities section of Kent's Repertory, which of the following rubric is given -
'When too much medicine has produced an over sensitive state and remedies fail to act'.

- (1) Heaviness
- (2) Lack of vital heat
- (3) Weakness
- (4) Irritability

Options 1. 1

2. 2

3. 3

4. 4



Question Type : **MCQ**

Question ID : **479548679**

Option 1 ID : **4795482713**

Option 2 ID : **4795482714**

Option 3 ID : **4795482715**

Option 4 ID : **4795482716**

Status : **Answered**

Chosen Option :

Q.99 Which one of the following makes medial boundary of femoral ring ?

- (1) Inguinal ligament
- (2) Lacunar ligament
- (3) Femoral vein
- (4) Pectineus

Options 1. 1

2. 2

3. 3

4. 4



Question Type : **MCQ**

Question ID : **479548641**

Option 1 ID : **4795482561**

Option 2 ID : **4795482562**

Option 3 ID : **4795482563**

Option 4 ID : **4795482564**

Status : **Answered**

Chosen Option :

Q.100 Want of breath in those engaged in atheletic sports, in old people, in those who use tobacco and whiskey too excess :

- (1) Coca
- (2) Bromium
- (3) Causticum
- (4) Opium

Options 1. 1

2. 2

3. 3

4. 4



Question Type : **MCQ**

Question ID : **479548673**

Option 1 ID : **4795482689**

Option 2 ID : **4795482690**

Option 3 ID : **4795482691**

Option 4 ID : **4795482692**

Status : **Answered**

Chosen Option :

Q.101 Given below are two statements :

Statement I : A labour is called precipitate when the combined duration of the first and second stage is less than 6 hours.

Statement II : Precipitate labour is common in multiparae. Rapid expulsion is due to combined effect of hyperactive uterine contractions associated with diminished soft tissue resistance.

In the light of the above statements, choose the **most appropriate** answer from the options given below.

- (1) Both **Statement I** and **Statement II** are correct
- (2) Both **Statement I** and **Statement II** are incorrect
- (3) **Statement I** is correct but **Statement II** is incorrect
- (4) **Statement I** is incorrect but **Statement II** is correct

Options 1. 1

2. 2

3. 3

4. 4



Question Type : **MCQ**

Question ID : **479548601**

Option 1 ID : **4795482401**

Option 2 ID : **4795482402**

Option 3 ID : **4795482403**

Option 4 ID : **4795482404**

Status : **Answered**

Chosen Option :

Q.102 Which of the following medicines have “aggravation on lying on left side” ?

- (A) Ceanothus americanus
- (B) Pulsatilla
- (C) Magnesia muriatica
- (D) Phosphorus

Choose the **most appropriate** answer from the options given below.

- (1) (A), (B) and (C) Only
- (2) (A), (B) and (D) Only
- (3) (B), (C) and (D) Only
- (4) (A), (C) and (D) Only

Options 1. 1

2. 2

3. 3

4. 4



Question Type : **MCQ**

Question ID : **479548717**

Option 1 ID : **4795482865**

Option 2 ID : **4795482866**

Option 3 ID : **4795482867**

Option 4 ID : **4795482868**

Status : **Answered**

Chosen Option :

Q.103 According to Biomedical waste management rules, 2016 foetus below the viability period should be collected in :

- (1) Autoclave safe plastic bags or container
- (2) Red coloured non-chlorinated plastic bags or containers
- (3) Yellow coloured non-chlorinated plastic bags
- (4) Puncture proof, leak proof, tamper proof container

Options 1. 1

2. 2

3. 3

4. 4

Question Type : **MCQ**

Question ID : **479548613**

Option 1 ID : **4795482449**

Option 2 ID : **4795482450**

Option 3 ID : **4795482451**

Option 4 ID : **4795482452**

Status : **Answered**

Chosen Option :



Q.104 The second most abundant anions in Extracellular Fluid are :

- (1) Bicarbonate ions
- (2) Phosphate ions
- (3) Chloride ions
- (4) Sodium ions

Options 1. 1

2. 2

3. 3

4. 4



Question Type : **MCQ**

Question ID : **479548637**

Option 1 ID : **4795482545**

Option 2 ID : **4795482546**

Option 3 ID : **4795482547**

Option 4 ID : **4795482548**

Status : **Answered**

Chosen Option :

Q.105 Given below are two statements.

In context to Kent's Repertory,

Statement I : General rubric will include all remedies that are related to the symptoms.

Statement II : Under rubric itching of palm, there are number of remedies, but Anagallis is not included though in sub-rubric itching palm rubbing ameliorates Anagallis is mentioned.

In the light of the above statements, choose the **most appropriate** answer from the options given below :

- (1) Both **Statement I** and **Statement II** are correct
- (2) Both **Statement I** and **Statement II** are incorrect
- (3) **Statement I** is correct but **Statement II** is incorrect
- (4) **Statement I** is incorrect but **Statement II** is correct

Options 1. 1

2. 2

3. 3

4. 4



Question Type : **MCQ**

Question ID : **479548663**

Option 1 ID : **4795482649**

Option 2 ID : **4795482650**

Option 3 ID : **4795482651**

Option 4 ID : **4795482652**

Status : **Answered**

Chosen Option :

Q.106

Quincke's sign can be found in :

- (1) Aortic stenosis
- (2) Mitral regurgitation
- (3) Mitral stenosis
- (4) Aortic regurgitation

Options 1. 1

2. 2

3. 3

4. 4



Question Type : **MCQ**

Question ID : **479548711**

Option 1 ID : **4795482841**

Option 2 ID : **4795482842**

Option 3 ID : **4795482843**

Option 4 ID : **4795482844**

Status : **Answered**

Chosen Option :

Q.107 Which of the following is NOT a major criteria for diagnosis of acute rheumatic fever as per revised Jone's criteria ?

- (1) Polyarthralgia
- (2) Chorea
- (3) Carditis
- (4) Subcutaneous nodules

Options 1. 1

2. 2

3. 3

4. 4



Question Type : **MCQ**

Question ID : **479548665**

Option 1 ID : **4795482657**

Option 2 ID : **4795482658**

Option 3 ID : **4795482659**

Option 4 ID : **4795482660**

Status : **Answered**

Chosen Option :

Q.108 Identify the medicine for the following symptoms.

Patient is debilitated, concussion of brain where skin is cold, body bathed with cold sweat and also craving for alcohol.

- (1) Sulphur
- (2) Syphilinum
- (3) Sulphuricum acidum
- (4) Nux vomica

Options 1. 1

2. 2

3. 3

4. 4



Question Type : **MCQ**

Question ID : **479548706**

Option 1 ID : **4795482821**

Option 2 ID : **4795482822**

Option 3 ID : **4795482823**

Option 4 ID : **4795482824**

Status : **Answered**

Chosen Option :

Q.109 The normal pleural pressure at the beginning of inspiration is about :

- (1) $-5 \text{ cm H}_2\text{O}$
- (2) $-7.5 \text{ cm H}_2\text{O}$
- (3) $+5 \text{ cm H}_2\text{O}$
- (4) $+7.5 \text{ cm H}_2\text{O}$

Options 1. 1

2. 2

3. 3

4. 4



Question Type : **MCQ**

Question ID : **479548630**

Option 1 ID : **4795482517**

Option 2 ID : **4795482518**

Option 3 ID : **4795482519**

Option 4 ID : **4795482520**

Status : **Answered**

Chosen Option :

Q.110 Given below are two statements.

Statement I : In the generalities section of Kent's Repertory, in the rubric undressing after aggravation, medicine Rumex is not mentioned.

Statement II : In the generalities section of Kent's Repertory in the rubric, vaccination after, Antimonium tart (Ant-t) is not mentioned.

In the light of the above statements, choose the **most appropriate** answer from the options given below :

- (1) Both **Statement I** and **Statement II** are correct
- (2) Both **Statement I** and **Statement II** are incorrect
- (3) **Statement I** is correct but **Statement II** is incorrect
- (4) **Statement I** is incorrect but **Statement II** is correct

Options 1. 1

2. 2

3. 3

4. 4



Question Type : **MCQ**

Question ID : **479548662**

Option 1 ID : **4795482645**

Option 2 ID : **4795482646**

Option 3 ID : **4795482647**

Option 4 ID : **4795482648**

Status : **Answered**

Chosen Option :

Q.111 Asthma relieved by profuse perspiration is the symptom of which medicine ?

- (1) Hypericum
- (2) Natrum Muriaticum
- (3) Psorinum
- (4) Merc sol.

Options 1. 1

2. 2

3. 3

4. 4



Question Type : **MCQ**

Question ID : **479548705**

Option 1 ID : **4795482817**

Option 2 ID : **4795482818**

Option 3 ID : **4795482819**

Option 4 ID : **4795482820**

Status : **Answered**

Chosen Option :

Q.112 Name the medicine when complaints, especially diarrhoea, develop during the close of summer when days are hot and nights are cold.

- (1) Bryonia alba
- (2) Natrum sulphuricum
- (3) Rhus toxicodendron
- (4) Dulcamara

Options 1. 1

2. 2

3. 3

4. 4



Question Type : **MCQ**

Question ID : **479548704**

Option 1 ID : **4795482813**

Option 2 ID : **4795482814**

Option 3 ID : **4795482815**

Option 4 ID : **4795482816**

Status : **Answered**

Chosen Option :

Q.113 Match List-I with List-II.

List-I

List-II

- | | |
|--------------------------|---|
| (A) One sided disease | (I) Changes appearing on external part of the body but not confined to that part only |
| (B) Local maladies | (II) Certain disease alternating at uncertain interval |
| (C) Alternating disease | (III) Disease of unvarying character returning at a fixed period |
| (D) Intermittent disease | (IV) Displaying one or two principal symptoms which obscure almost all other |

Choose the **correct** answer from the options given below :

- (1) (A)-(III), (B)-(IV), (C)-(I), (D)-(II)
- (2) (A)-(III), (B)-(II), (C)-(I), (D)-(IV)
- (3) (A)-(IV), (B)-(I), (C)-(II), (D)-(III)
- (4) (A)-(II), (B)-(I), (C)-(III), (D)-(IV)

Options 1. 1

2. 2

3. 3

4. 4



Question Type : **MCQ**

Question ID : **479548696**

Option 1 ID : **4795482781**

Option 2 ID : **4795482782**

Option 3 ID : **4795482783**

Option 4 ID : **4795482784**

Status : **Answered**

Chosen Option :

Q.114 Given below are two statements : One is labelled as **Assertion (A)** and the other is labelled as **Reason (R)**.

Assertion (A) : There are some medicine like Ignatia, Belladonna, Rhust tox, Bryonia etc., whose power of altering man's health consists chiefly in alternating actions.

Reason (R) : It is a kind of primary action symptoms that are in part opposed to each other.

In the light of the above statements, choose the **correct** answer from the options given below :

- (1) Both **(A)** and **(R)** are true and **(R)** is the correct explanation of **(A)**
- (2) Both **(A)** and **(R)** are true but **(R)** is NOT the correct explanation of **(A)**
- (3) **(A)** is true but **(R)** is false
- (4) **(A)** is false but **(R)** is true

Options 1. 1

2. 2

3. 3

4. 4



Question Type : **MCQ**

Question ID : **479548686**

Option 1 ID : **4795482741**

Option 2 ID : **4795482742**

Option 3 ID : **4795482743**

Option 4 ID : **4795482744**

Status : **Answered**

Chosen Option :

Q.115 Which of the following chapter of Kent's Repertory will you find the rubric 'coffee amelioration' ?

- (A) Mind
- (B) Stomach
- (C) Mouth
- (D) Generalities

Choose the **most appropriate** answer from the options given below :

- (1) (A) Only
- (2) (B) Only
- (3) (C) Only
- (4) (D) Only

Options 1. 1

2. 2

3. 3

4. 4



Question Type : **MCQ**

Question ID : **479548602**

Option 1 ID : **4795482405**

Option 2 ID : **4795482406**

Option 3 ID : **4795482407**

Option 4 ID : **4795482408**

Status : **Answered**

Chosen Option :

Q.116 Which of the following medicines have “fear of being alone” ?

- (1) Gelsemium
- (2) Baryta carbonica
- (3) Phosphorus
- (4) Carbo-animalis

Options 1. 1

2. 2

3. 3

4. 4



Question Type : **MCQ**

Question ID : **479548670**

Option 1 ID : **4795482677**

Option 2 ID : **4795482678**

Option 3 ID : **4795482679**

Option 4 ID : **4795482680**

Status : **Answered**

Chosen Option :

Q.117 In Which of the following chapters of Kent's Repertory, the rubric 'Eat refuse to' is mentioned ?

- (1) Mind
- (2) Appetite
- (3) Abdomen
- (4) Mouth

Options 1. 1

2. 2

3. 3

4. 4

Question Type : **MCQ**

Question ID : **479548660**

Option 1 ID : **4795482637**

Option 2 ID : **4795482638**

Option 3 ID : **4795482639**

Option 4 ID : **4795482640**

Status : **Answered**

Chosen Option :



Q.118 In 6th edition of Organon of Medicine the treatment advised for improperly treated chronic disease with large dose of sulphur allopathically, the medicine of choice is :

- (A) Sulphur X° should be administered by olfaction
- (B) Mercurius met X° should be administered by olfaction
- (C) Thuja X° should be administered by olfaction
- (D) Carbo veg X° followed by sulphur X° administered orally

Choose the **correct** answer from the options given below :

- (1) (A) is correct
- (2) (B) is correct
- (3) (C) is correct
- (4) (D) is correct

Options 1. 1

2. 2

3. 3

4. 4



Question Type : **MCQ**

Question ID : **479548719**

Option 1 ID : **4795482873**

Option 2 ID : **4795482874**

Option 3 ID : **4795482875**

Option 4 ID : **4795482876**

Status : **Answered**

Chosen Option :

Q.119

The most common cause of female infertility :

- (1) Ovulatory dysfunction
- (2) Tubal disease
- (3) Uterine factors
- (4) Cervical factors

Options 1. 1

2. 2

3. 3

4. 4



Question Type : **MCQ**

Question ID : **479548603**

Option 1 ID : **4795482409**

Option 2 ID : **4795482410**

Option 3 ID : **4795482411**

Option 4 ID : **4795482412**

Status : **Answered**

Chosen Option :

Q.120 Given below are two statements : One is labelled as **Assertion (A)** and the other is labelled as **Reason (R)**.

Assertion (A) : The conversion of the spermatids to sperms will not occur without FSH stimulation of the sertoli cells.

Reason (R) : Follicle-Stimulating hormone, also secreted by the anterior pituitary gland, stimulates sertoli cells.

In the light of the above statements, choose the **most appropriate** answer from the options given below.

- (1) Both **(A)** and **(R)** are correct and **(R)** is the correct explanation of **(A)**
- (2) Both **(A)** and **(R)** are correct but **(R)** is NOT the correct explanation of **(A)**
- (3) **(A)** is correct but **(R)** is not correct
- (4) **(A)** is not correct but **(R)** is correct

Options 1. 1

2. 2

3. 3

4. 4



Question Type : **MCQ**

Question ID : **479548628**

Option 1 ID : **4795482509**

Option 2 ID : **4795482510**

Option 3 ID : **4795482511**

Option 4 ID : **4795482512**

Status : **Answered**

Chosen Option :