

Q1. The specific action of the nosode Pyrogenium is:

- a. Connective tissue
- b. RBC
- c. Adrenal gland
- d. **Lymph**

Q2. Which drug does not belong to umbelliferae family?

- a. Aethusa cynapium
- b. **Cocculus indicus**
- c. Cicuta virosa
- d. Conium mac

Q3. Nature's self-healing capability is referred to as:

- a. Ab usu in morbis
- b. **Vis medicatrix natura**
- c. Aude sapere
- d. Minister natura

Q4. In case of Vesicoureteral Reflux, the most definitive diagnosis is provided by:

- a. Renal ultrasound
- b. X-Ray KUB
- c. Intravenous pyelography
- d. **Voiding cystourethrography**

Q5. Eliminative symptoms in repertorization were introduced by ;

- a. Elizabeth Wright
- b. W J Guernsey
- c. **M L Tyler**
- d. O E Boericke

Q6. Majority of syphilitic aortic aneurysms are located in:

- a. **Ascending aorta**
- b. Descending thoracic aorta
- c. Abdominal aorta
- d. Distal abdominal aorta, below the renal arteries

Q7. "Irresistible desire to sing followed by sadness" is a symptom of:

- a. Psorinum
- b. Calendula
- c. Dulcamara
- d. **Spongia**

Q8. All are writings of Boger except;

- a. Times of Remedies
- b. Moon phases
- c. **Repertory of constitution**
- d. Synoptic Key

Q9. Constipation with horribly offensive breath is found in;

- a. **Carbolic acid**
- b. Nuc vomina
- c. Aloe socotrina
- d. Collinsonia can

Q10. Absence of certain striking or customary symptoms of a disease is known as:

- a. Pathognomonic symptoms
- b. Particular symptoms
- c. **Negative general symptoms**
- d. Common symptoms

Q11. In which of the following drugs “Porrigio Capitis” is a symptom:

- a. Causticum
- b. Calcareia muriaticum**
- c. Conium mac
- d. Capsicum

Q12. Symptoms with location, sensation, characteristic modalities signify:

- a. Fix general totality
- b. Acute totality
- c. Sector totality**
- d. None of the above'

Q13. 'Wander lust' is caused by:

- a. Ascaris lumbricoids**
- b. Loa loa
- c. Tenia solium
- d. Wucheraria bancrofti

Q14. Repertory attached to Boericke's Materia Medica is written by:

- a. W. Boericke
- b. L H Tafel
- c. O E Boericke**
- d. J H Clarke

Q15. Calendula officinalis is prepared from:

- a. Fresh leaves and berries
- b. Flowering stem
- c. Fresh flowers
- d. Fresh flowering tops and leaves**